

*A Report to the Washington State Legislature  
June 2025*

# **Pumped Storage Hydropower Siting Study**

DRAFT



WASHINGTON STATE UNIVERSITY  
**Energy Program**





*A Report to the Washington State Legislature  
June 2025*

# **Pumped Storage Hydropower Siting Study**

Prepared by  
**Karen Janowitz**

Pumped Storage Hydropower Siting  
Study Lead



WASHINGTON STATE UNIVERSITY  
**Energy Program**

For more information about the  
**Pumped Storage Hydropower Siting Study**,  
contact:

**Karen Janowitz**

**Washington State University  
Energy Program**

905 Plum Street SW, Suite 100  
PO Box 43165  
Olympia, WA 98504-3165  
360-956-2000

*janowitzk@energy.wsu.edu*

Visit the Study's website at



*[https://www.energy.wsu.edu/  
CleanFuelsAltEnergy/PSHSiting.aspx](https://www.energy.wsu.edu/CleanFuelsAltEnergy/PSHSiting.aspx)*

Copyright © 2025  
Washington State University Energy Program  
Olympia, Washington  
*[www.energy.wsu.edu](http://www.energy.wsu.edu)*

WSUEEP25-003 - June 2025



WASHINGTON STATE UNIVERSITY  
**Energy Program**

You may download copies of this and  
other WSU Energy Program  
publications at *[energy.wsu.edu](http://energy.wsu.edu)*

**Our Mission Statement**

Creating Energy Solutions

**About Us**

The Washington State University  
(WSU) Energy Program creates  
evolving energy solutions within  
Washington, the Pacific Northwest,  
across the United States, and  
internationally.

**Non-Discrimination Notice**

The programs and policies at the WSU  
Energy Program are consistent with  
federal and state laws and regulations  
on nondiscrimination regarding race;  
sex; religion; age; color, creed and  
national or ethnic origin; physical,  
mental or sensory orientation; and  
status as a Vietnam-era or disabled  
veteran. Evidence of noncompliance  
may be  
reported to the  
WSU Energy Program office.

WSU Energy Program publications  
contain material written and  
produced for public distribution.  
Alternate formats of our materials are  
available upon request for persons  
with disabilities. Please contact the  
WSU Energy Program at  
360-956-2000 for more information.

The cover's water drop image  
was provided by *[pixabay.com](http://pixabay.com)*.  
*Photo by Arek Socha.*





## Acknowledgements

The *Pumped Storage Hydropower Siting Study* process and report was not a solitary endeavor. The work was only possible with a stellar team who collaborated, gave suggestions, considered the best paths forward, and were simply delightful people to work with. Huge thanks go to Tom Beierle, Susan Hayman, and Hogan Sherrow with Ross Strategic; Jeff Boyce with Meridian Environmental; and Terri Parr with Washington State University Tribal Relations.

Deep appreciation goes out to the report editor, Melanie Thongs, who not only dealt with many rush requests, but did so with grace. Many thanks to Gerry Rasmussen who I can always depend upon for making reports so very readable, and taking care of the formatting requirements.

Thank you to the energy and natural resources committees at the Affiliated Tribes of Northwest Indians (ATNI) for providing me space and time to discuss the study. And finally, special thanks to all who attended meetings and also met with the study team separately, to share your ideas, suggestions, insights, and opinions.

DRAFT



## Executive Summary

Pumped storage, or pumped storage hydropower (PSH), is a proven, existing, grid-scale, long-duration energy storage technology that currently provides over 90% of the utility-scale energy storage in the United States.<sup>1</sup> Sometimes considered a “water battery,” PSH uses two reservoirs at different elevations, storing water as potential energy in the upper reservoir, and releasing water to the lower reservoir through turbines to create electricity for the grid when needed. When demand for energy is low and there is excess energy on the grid, water is pumped from the lower reservoir back to the upper reservoir to be stored until again needed. PSH can provide eight or more hours of electricity before needing to be “recharged” (water pumped back to the upper reservoir for storage).

As Washington state shifts to fossil-free energy sources such as utility-scale solar and wind,<sup>2</sup> increased capacity of energy storage systems such as PSH will be needed to store the intermittently produced renewable energy, satisfying energy demands and balancing out the grid.<sup>3</sup>

Depending in part on where PSH facilities are sited, however, their construction and operation could potentially impact Tribal cultural resources, wildlife and habitat, water availability, and more. To identify these impacts, as well as other issues and interests, and provide that information to potential developers and agencies, the Washington State Legislature directed the Washington State University Energy Program (WSU) to carry out a process which WSU calls the PSH Siting Study.<sup>4</sup>

As part of the WSU PSH Siting Study, a study team convened statewide online meetings, met with Tribes and individuals, and attended conferences to engage Tribes, agencies, local governments, special-purpose districts, and others to provide their views and thoughts about PSH. The statewide meetings provided technical information from subject matter experts about the PSH technology, and potential impacts and mitigations from PSH construction and operations. This provided a foundation of knowledge for participants to engage in discussions and share insights.

**The siting study team made it clear throughout the process that the study is not proposing or promoting any specific pumped storage hydropower projects.**

The study focused primarily, but not exclusively, on closed-loop, or “off-river”, PSH systems.

1 United States Department of Energy. 2023. U.S. Hydropower Market Report 2023 Edition. <https://www.energy.gov/sites/default/files/2023-09/U.S.%20Hydropower%20Market%20Report%202023%20Edition.pdf>

2 Washington’s Clean Energy Transformation Act (CETA) (SB 5116, 2019) commits the state to an electricity supply that is fossil-free by 2045. <https://www.commerce.wa.gov/energy-policy/electricity-policy/ceta/>

3 Ramos, H., J. Sintong, and A. Kuriqi. 2024. Optimal Integration of Hybrid Pumped Storage Hydropower Toward Energy Transition. Renewable Energy 221: 119732. <https://doi.org/10.1016/j.renene.2023.119732>.

4 ESSHB 1216, 2023, Sec. 306 <https://lawfilesexternal.wa.gov/biennium/2023-24/Pdf/Bills/Session%20Laws/House/1216-S2.SL.pdf?q=20240327114612>

Open-loop PSH, created by damming a naturally flowing water body, have greater impacts to fish and aquatic ecology, and the PSH industry is moving away from open-loop because of these impacts.

## Participant comments

Three overarching themes surfaced from participant comments and discussion: concerns about Tribal cultural resources, water availability, and impacts to terrestrial habitat. Avoiding areas with Tribal cultural resources was often stated to be the best way to protect them, especially because many impacts are not able to be adequately mitigated. Other major Tribal concerns included the cumulative impacts from multiple projects, and that Tribes are often brought into the site identification, licensing and environmental review processes too late. Participants suggested that developers and agencies engage early with Tribes, not develop where Tribal cultural resources would be impacted, continue monitoring PSH impacts after sites are developed, and continue engaging with Tribes over time.

Many participants expressed concern that water was needed to fill reservoirs in closed-loop PSH systems. Since water in Washington state is already completely allocated, the need for water rights for PSH facilities could affect future water availability for other uses such as river flows and agriculture. The effect of climate change also brings uncertainty to future water availability. Suggestions from participants on this issue were few, and included investigating how to minimize the consumptive use of water.



*Three overarching themes surfaced from participant comments and discussion: concerns about Tribal cultural resources, water availability, and impacts to terrestrial habitat.*

Both open-loop and closed-loop systems have impacts on wildlife and terrestrial habitats, though the impacts are greater with closed-loop since two reservoirs are built on uplands, not one. Participant concerns ranged from wildlife and habitat disturbance and loss to disruption of migration routes and the introduction of invasive plant species. Suggestions made by participants to prevent or mitigate these impacts included establishing baseline habitat conditions with continuous monitoring, avoiding areas with the most listed species and important habitat, and establishing native vegetation after construction.

## Mapping

In addition to the siting process, the legislature also required WSU to develop a map with GIS data layers highlighting areas identified through the process. The National Renewable Energy Laboratory (NREL) identified sites of theoretical pairs of reservoirs (which essentially create one closed-loop PSH) in the U.S. from digital elevation data.<sup>5</sup> The reservoirs pairs have parameters such as minimum surface area, a certain height distance between reservoirs, and avoidance of

<sup>5</sup> Rosenlieb, E., D. Heimiller, and S. Cohen. 2022. Closed-Loop Pumped Storage Hydropower Resource Assessment for the United States. National Renewable Energy Laboratory. Golden, CO. NREL/TP-6A20-81277. <https://www.nrel.gov/docs/fy22osti/81277.pdf>

critical habitats and federal protected lands.<sup>6</sup> Using the NREL map as a base, the siting study team created four Washington state study-specific maps.

Two maps highlight site proximity to rivers. The team learned from the Director of the Washington Department of Archaeology and Historical Preservation and from Tribal participants that important traditional cultural sites are often within ½ mile from rivers and often up to the ridgeline. One map includes this ½-mile buffer but does not exclude reservoir pairs within the buffer, while another map excludes pairs within the buffer.

Considering colocation of PSH with utility-scale solar and wind projects, another map plots utility-scale wind and solar facilities as well as transmission lines. Given that utility-scale solar is generally developed on relatively flat land while PSH needs elevation for one of its reservoirs, NREL's theoretical PSH reservoir pairs generally occur in locations away from existing solar. As for wind, concerns were voiced by participants that reservoirs could attract small mammals and birds, which in turn could attract raptors, who would be at risk of colliding with wind turbines. Finally, a fourth map shows land ownership along with the reservoir pairs.

## Recommendations

From subject matter experts, research in published reports, and participant comments and discussion, WSU identified some suggested recommendations for the legislature, as well as for agencies and potential developers, to consider and explore in regards to siting PSH with the least amount of negative impacts. These suggestions reflect the views of the WSU study leads only. While they were informed by the study process and participants, these recommendations were not developed or affirmed by project participants.

**Early contact with Tribes and the local community should be a priority**, even if the processes, such as for obtaining preliminary permits, do not mandate it. Engaging at the earliest opportunity and developing relationships with Tribes can help guide development to appropriate sites and possibly prevent project delays due to siting on important cultural areas.

**Research water availability and future constraints.** Water availability issues might not easily be overcome for closed-loop systems, especially given the unknown changes in future climate scenarios. It is advised that early consideration and research go into any closed-loop facility in the state to make sure that the extraction of reservoir water from local sources does not eventually cause hardships for aquatic wildlife, domestic water supplies, agriculture, or irrigation.

**Consider other approaches to PSH.** Other approaches to PSH may be worth exploring, with the goal to limit negative impacts. One such approach is add-on PSH, for which an upper reservoir is constructed and connected to an existing reservoir to create a PSH facility. Connecting two existing reservoirs with an added tunnel and powerhouse is another approach that some in the industry are currently considering.

---

<sup>6</sup> It is important to note that the NREL data has never been assessed on the ground.

**Develop and utilize resources that can guide developers to areas with less impact on wildlife and habitat.** Tools exist, and more are being developed by Washington state agencies, to guide developers away from critical habitat for protected and other important species. Guidelines, such as the Washington Department of Fish and Wildlife’s newly published *Guidelines for Utility-Scale Solar & Onshore Wind Energy*,<sup>7</sup> can and should be used for PSH projects as well, as the purpose of the guidelines is to avoid and minimize impacts to the state’s wildlife and habitat resources.

**Consider utilizing criteria for low impact PSH when available.** A certification for low impact pumped storage hydropower facilities may be developed in the future by the Low Impact Hydropower Institute (LIHI).<sup>8</sup> LIHI is an NGO that has developed rigorous science-based criteria to certify hydropower generation projects (not PSH) as low impact. Once the definitions are finalized, LIHI may choose to create a voluntary certification process for PSH. If this occurs, Washington state agencies may want to investigate LIHI’s PSH certification process for potential incorporation into state guidelines, recommendations, regulations, and/or procedures.

Potential PSH projects that follow some of the recommendations above, and that demonstrate understanding of and compliance with the issues and needs expressed by Tribes, local communities, agencies, local governments, NGOs, and others, may find that their projects have fewer obstacles and can advance in a more efficient manner to help the state reach its goal of fossil-free electricity.

---

<sup>7</sup> Due to be published June 2025

<sup>8</sup> <https://lowimpacthydro.org/>





<b>Acknowledgements</b> .....	i
<b>Executive Summary</b> .....	iii
Participant Comments .....	iv
Mapping .....	iv
Recommendations.....	vii
<b>Table of Contents and Figures</b> .....	viii
<b>Acronyms</b> .....	ix
<b>Introduction</b> .....	1
Legislative Directive .....	1
Pumped Storage .....	1
PSH Siting Study .....	2
Goldendale Pumped Storage Hydropower Plant .....	3
<b>Pumped Storage Hydropower</b> .....	4
How PSH Works .....	4
Benefits .....	6
Land Requirements .....	6
Closed Loop and Open Loop PSH .....	6
Other PSH Design and Configuration Approaches .....	8
Existing and Proposed PSH .....	8
<b>PSH Siting Study Approach</b> .....	11
PSH Siting Study Team.....	11
Outreach and Engagement.....	11
Tribal Engagement .....	12
Meetings .....	12
<b>PSH Topics</b> .....	15
Tribal Cultural Resources and Tribal Rights .....	15
Aquatic Ecology .....	18
Water Quality .....	19
Water Quantity and Water Availability.....	19
Wildlife & Habitat / Terrestrial .....	21
Geology and Soils .....	23
Land Use – Air Quality, Aesthetics, Access, Lighting, Noise .....	23
Socioeconomics.....	24
State And Federal Permitting and Licensing Processes .....	24
Other Gravity Energy Storage Systems .....	27
General Observations – Participant Comments .....	29

<b>Mapping</b> .....	30
NREL Report.....	30
WSU PSH Siting Study Mapping.....	31
<b>Key Points</b> .....	37
<b>Recommendations</b> .....	38
<b>Appendix A: Topics – Potential Impacts/Mitigations and Participant     Issues/Suggestions</b> .....	40
<b>Appendix B: Federal and State Permitting, Licensing, and Environmental     Review Processes</b> .....	51
<b>Appendix C: GIS Data Source Documents for Washington State Maps</b> .....	57

## Figures

<b>Figure 1:</b> A Model of a Pumped Storage Hydropower Plant, Showing Electricity Generation and System Recharge .....	5
<b>Figure 2:</b> Open-Loop and Closed-Loop Pumped Storage Hydropower.....	7
<b>Figure 3:</b> Pending Licenses and Relicenses for Pumped Storage Projects Map .....	10
<b>Figure 4:</b> Issued Preliminary Permits for Pumped Storage Projects by FERC.....	10
<b>Figure 5:</b> Washington State Land Ownership Map with Theoretical PSH Reservoirs .....	35
<b>Figure 6:</b> Washington State Map with Theoretical PSH Reservoirs and ½ Mile Major River Buffers.....	36
<b>Figure 7:</b> Washington State Map with Theoretical PSH Reservoirs <b>NOT</b> Within the ½ Mile Major River Buffers.....	37
<b>Figure 8:</b> Washington State Map with Theoretical PSH Reservoirs, Utility-Scale Wind and Solar .....	38



## Acronyms

ACHP .....	Advisory Council on Historic Preservation
ALP .....	Alternative Licensing Process
APE.....	Area of Potential Effect
ARES.....	Advanced Rail Energy System
Commerce.....	Washington State Department of Commerce
DES .....	Washington State Department of Enterprise Services
DAHP .....	Department of Archaeology and Historical Preservation
DOE.....	US Department of Energy
Ecology .....	Department of Ecology
EFSEC.....	Energy Facility Site Evaluation Council
FERC .....	Federal Energy Regulatory Commission
FPIC.....	Free, prior, and informed consent
GHG .....	Greenhouse gases
GIS.....	Geographic Information System
GIS.....	Geographic Information Systems
GMA .....	Growth Management Act
GW.....	gigawatt
GWh .....	gigawatt hours
ILP.....	Integrated Licensing Process
LIHI .....	Low Impact Hydropower Institute
m.....	meter
MOA .....	Memorandum of Agreement
MW .....	megawatt
MWh.....	megawatt hours
NEPA.....	National Environmental Protection Act
NHPA .....	National Historic Preservation Act
NREL .....	National Renewable Energy Laboratory
ORIA.....	Washington State Governor's Office for Regulatory Innovation and Assistance
PNNL.....	Pacific Northwest National Laboratory
PSH .....	Pumped Storage Hydropower
PUSH .....	Pumped underground storage hydropower
SEPA .....	State Environmental Protection Act
TCP.....	Traditional Cultural Properties
THPO .....	Tribal Historic Preservation Officer
TLP .....	Traditional Licensing Process
U&A.....	Usual and accustomed territories
WDFW .....	Washington Department of Fish and Wildlife
WPTO .....	US Department of Energy Water Power Technologies Office
WSU .....	Washington State University Energy Program





## Introduction

### Legislative Directive

Pursuant to Section 306 of House Bill 1216 (2023), The Washington State Legislature directed the Washington State University Energy Program (WSU) to carry out a process to identify issues and interests related to siting pumped storage projects in Washington state.<sup>9</sup> The intent of the bill is to support expanded capacity to store intermittently produced renewable energy as part of the state's transition from fossil fuel to 100 percent clean energy.

The goal of the process is to identify and understand issues and interest of various stakeholders and federally recognized Tribes related to areas where pumped storage might be sited, providing useful information to developers of potential projects, and for subsequent environmental reviews under the state environmental policy act. It was specified that ample opportunities be given to the engagement of Tribes, local governments, special purpose districts, land use and environmental organizations, and others interested in the process. In addition, WSU was required to develop a map and associated GIS data layers, highlighting areas identified through the process.

While the House Bill language alluded only to pumped storage, and not pumped storage hydropower, any deep Internet search of 'pumped storage' will result in the inclusion of hydropower. Pumped storage hydropower is commonly abbreviated to PSH, and these are the terms most frequently used in the study and report.

This report (including maps) is a deliverable to the legislature for work done under Section 306 of House Bill 1216.

House Bill 1216 concerns clean energy siting, with legislation for the creation of: an Interagency Clean Energy Siting Coordinating Council; a clean energy coordinated permitting process; an application process for Clean Energy Projects of Statewide Significance; new provisions for clean energy projects added to the State Environmental Policy Act; non-project environmental impact statements for utility-scale solar energy projects, onshore utility-scale wind projects, and renewable hydrogen or green electrolytic projects. These items are under the purview of the Washington Department of Ecology (Ecology) and/or the Washington State Department of Commerce (Commerce).

### Pumped Storage

Pumped storage, or pumped storage hydropower (PSH), is a proven, existing, grid-scale, long-duration energy storage technology that currently provides over 90% of the utility-scale energy storage in the United States.<sup>10</sup> Sometimes considered a "water battery," PSH uses two

<sup>9</sup> ESSHB 1216, Sec. 306  
<https://lawfilesexternal.wa.gov/biennium/2023-24/Pdf/Bills/Session%20Laws/House/1216-S2.SL.pdf?q=20240327114612>

<sup>10</sup> United States Department of Energy. 2023. U.S. Hydropower Market Report 2023 Edition. <https://www.energy.gov/sites/default/files/2023-09/U.S.%20Hydropower%20Market%20Report%202023%20Edition.pdf>

reservoirs at different elevations, storing water as potential energy in the upper reservoir, and releasing water to the lower reservoir through turbines to create electricity for the grid when needed. When demand for energy on the grid is low and there is excess energy on the grid, water is pumped from the lower reservoir back to the upper reservoir.

There are generally two approaches to PSH – open-loop and closed-loop. The lower reservoir of open-loop PSH is connected to a continuously flowing waterbody such as a river or lake, while neither reservoir in a closed-loop system is connected to a waterbody.

PSH can play an important role in balancing energy needs with the increase of utility-scale solar and wind energy sources, as these resources are intermittent, depending on whether the sun is shining or the wind is blowing.

A full description of pumped storage can be found in the next chapter.

## PSH Siting Study

This paper reports on the work done by WSU to carry out the legislative directive, and includes the study's approach, engagement, findings, and recommendations. A review of PSH technology, benefits, potential impacts, and more is provided for readers to understand the findings from the study. A section discusses the maps developed by the study team.

Siting can be defined as “to exist or be built in a particular place”.<sup>11</sup> One of the PSH Siting Study's goals was to gather information from people potentially affected by, and/or interested in, the construction and operation of PSH.

It was important to call this process a study and not a project, as the word project could be falsely interpreted as promoting or proposing an actual PSH facility.

Note that this study is limited in scope; what it includes and does not include are as follows:

- **The siting study includes:**

- Synthesis and summary of comments and questions provided by participants
- Information about the study process
- Basic overview of PSH technology, including potential impacts and potential mitigation

- **The siting study does NOT**

- Propose, or advocate for or against, pumped storage hydropower projects
- Indicate optimal or least-conflict locations for PSH development
- Provide a full research report on the technology
- Report on the economics or market outlook of PSH

<sup>11</sup> <https://dictionary.cambridge.org/us/dictionary/english/siting>



## Goldendale Pumped Storage Hydropower Plant

It would be remiss of this report to not mention the proposed Goldendale Pumped Storage Hydropower plant, as it has sparked controversy about PSH in Washington state and elsewhere. If built, the Goldendale Energy Storage Project would be a 1200 megawatt (MW) closed-loop PSH facility built close to the Columbia River in Klickitat County eight miles southeast of the City of Goldendale, Washington. The lower reservoir would be built on a brownfield site previously occupied by an aluminum smelter, while the upper reservoir would be built on a clifftop about 2400 feet upslope.<sup>12</sup>

The proposed upper reservoir would be built in an area held sacred by the Confederated Tribes and Bands of the Yakama Nation.<sup>13</sup> They are part of a coalition of other Tribes and environmental groups who have contested the proposed project that they say will harm a site that they consider culturally and spiritually important, and also because they believe the consultation process was inadequate.

The controversy surrounding the proposed Goldendale project brought attention to PSH in the state, which in part led to the PSH Siting Study. As of June 2025, the Goldendale project is still pending final licensing.

---

12 Washington State Department of Ecology. 2022. Proposed Goldendale Energy Storage Project: State Environmental Policy Act Draft Environmental Impact Statement—Summary.

<https://apps.ecology.wa.gov/publications/parts/2206015part2.pdf>

13 Sax, S. 2022. Cultural resources are not a renewable thing for us. High Country News.

<https://www.hcn.org/issues/54.1/north-renewable-energy-cultural-resources-are-not-a-renewable-thing-for-us>



## Pumped Storage Hydropower

This section provides a short description of PSH, including capacity, land requirements, existing PSH systems, and comparisons of closed-loop and open-loop designs. Information comes from subject matter experts and published literature.

### How PSH Works

Pumped storage hydropower typically is comprised of two reservoirs at different elevations that store and release water to absorb or provide electricity when called upon to maintain a reliable electric grid. Potential energy, stored as water in the upper reservoir, is released to the lower reservoir through tunnels or pipes, and through a turbine that produces electricity when demand for energy is high. When the demand for energy, and electricity, prices are low, or there is a need to absorb excess energy from the grid, water is pumped back to the upper reservoir, where it is stored as potential energy until needed again. The system can be described as a “water battery” because its energy storage and electricity producing capabilities can both store and discharge electricity in a similar manner to a battery. See Figure 1 on the next page.

The total amount of energy able to be stored in the upper reservoir is the energy storage capacity, measured in watts per hour, [most commonly megawatts per hour (MWh) or gigawatts per hour (GWh)]. Power capacity is the maximum instantaneous amount of electricity produced, or output, measured in watts (commonly MW or GW). The capacity depends on the size of the reservoirs and the elevation difference (called head) between the two. A larger head increases capacity, as does increased size of reservoirs.<sup>14</sup>

PSH is considered a long-duration energy storage system, meaning it can deliver electricity for approximately eight hours or more.<sup>15,16</sup> Current U.S. PSH systems, based on their reservoir size and plant capacity, are able to provide their fully designed output capacity of electricity for between 4 and 20 hours a day. The median time that U.S. utility-scale battery installations, such as lithium-ion batteries, can operate on full output capacity is approximately two hours.<sup>17</sup> The large MW-hours of storage capacity and flexibility of the pump-turbine equipment also enable PSH systems to provide electricity for a significantly longer duration (hours) when their generation

14 United States Energy Information Administration. Electricity Explained. 2023. <https://www.eia.gov/energyexplained/electricity/energy-storage-for-electricity-generation.php>


15 United States Department of Energy. 2024. Long-Duration Energy Storage. Office of Clean Energy Demonstrations. [https://www.energy.gov/oced/long-duration-energy-storage#:~:text=Long%2Dduration%20energy%20storage%20\(LDES,or%20more%20hours%20in%20duration.](https://www.energy.gov/oced/long-duration-energy-storage#:~:text=Long%2Dduration%20energy%20storage%20(LDES,or%20more%20hours%20in%20duration.)

16 There is no universal agreement of the definition of long duration energy storage. It can refer to the amount of stored energy in the upper reservoir or how long the system can provide electricity at the maximum rate. Denholm, P. W. Cole, A. Frazier, K. Podkaminer, and N. Blair. 2021. The Challenge of Defining Long-Duration Energy Storage. Golden, CO. National Renewable Energy Laboratory. NREL/TP-6A40-80583. <https://www.nrel.gov/docs/fy22osti/80583.pdf>

17 Simon, T. R., D. Inman, R. Hanes, G. Avery, D. Hettinger, and G. Heath. 2023. Life Cycle Assessment of Closed-Loop Pumped Storage Hydropower in the United States. *Environmental Science & Technology* 57, no. 33: 12251–12258. <https://doi.org/10.1021/acs.est.2c09189>

**Figure 1.**

**A Model of a Pumped Storage Hydropower Plant, Showing Electricity Generation and System Recharge.**



Graphic courtesy of Joan Carstensen, Grand Canyon Trust.

<https://www.grandcanyontrust.org/resources/pumped-storage-hydropower-101/>

(power capacity) output is reduced (less than maximum MWs). For example, a reservoir with 100 MWh of storage could operate with full generation output of 10 MW for 10 hours, but also operate at 5 MW for 20 hours. In addition, unlike the current electro-chemical battery systems, such as lithium-ion, PSH shows no system degradation over time of use in terms of performance, with continued operation.

In addition, PSH has one of the lowest life-cycle greenhouse gas (GHG) emissions of any energy storage technology.<sup>18</sup> Life cycle assessments (LCA) generally include embodied energy and materials used – for PSH this includes construction, operation, and maintenance. Because PSH facilities can operate from 50 to 100 years, life-cycle GHG is lower than other energy storage

<sup>18</sup> Simon, T. R., D. Inman, R. Hanes, G. Avery, D. Hettinger, and G. Heath. 2023. Life Cycle Assessment of Closed-Loop Pumped Storage Hydropower in the United States. *Environmental Science & Technology* 57, no. 33: 12251–12258. <https://doi.org/10.1021/acs.est.2c09189>

systems. Studies have also shown almost no GHG emissions result from the operation of closed-loop PSH. The potential for increased or decreased GHG is commonly part of the early studies for project licensing.

In general, PSH is a net consumer of electricity, meaning it takes more energy to pump uphill to store water than is generated. However, the systems are highly efficient, with a round-trip efficiency of modern projects of about 80%.<sup>19</sup>

## Benefits

PSH benefits the U.S. electricity grid by balancing the bulk of regional electricity supply and demand, integrating renewable energy resources, supporting grid reliability, and providing large-scale electrical system reserve capacity. With its fast ramping capability, PSH can respond to load changes in seconds, turning on and starting to produce electricity quicker than most other energy storage systems.

Advantages of PSH over other energy storage technologies are many. Although the initial construction cost may be high, PSH facilities last from 50 to 100 years, which makes their life cycle cost one of the lowest of all energy storage systems.<sup>20</sup>

## Land Requirements

For each 100 MWh of energy storage, about three acres is needed for the reservoirs in a closed loop system, with a water depth of approximately 66 feet and a net 1,312 foot of head. This does not include any of the land for the water conveyance pipes, above ground facilities, roads, and transmission line connectors. Water needs range based on site specific project arrangements, but could be on the order of 25 million gallons.<sup>21</sup>

## Closed Loop and Open Loop PSH


The two major configurations of PSH are closed-loop systems and open-loop systems. The lower reservoir in an open-loop PSH system is continuously connected to a naturally occurring waterbody. Closed-loop PSH systems, sometimes called “off-river” systems, have no connection to a naturally occurring waterbody. Figure 2 shows a closed-loop PSH system and an open-loop PSH system, side by side. The types of impacts from these systems differ to some extent, but as discussed below, closed-loop projects have fewer environmental impacts.

19 Blakers, A., M. Stocks, B. Lu, and C. Cheng. 2021. A Review of Pumped Hydro Energy Storage. *Progress in Energy* 3, no. 2: 022003. <https://doi.org/10.1088/2516-1083/abeb5b>

20 National Hydropower Association. 2021. 2021 Pumped Storage Report. <https://www.hydro.org/wp-content/uploads/2021/09/2021-Pumped-Storage-Report-NHA.pdf>

21 Blakers, A., M. Stocks, B. Lu, and C. Cheng. 2021. A Review of Pumped Hydro Energy Storage. *Progress in Energy* 3, no. 2: 022003. <https://doi.org/10.1088/2516-1083/abeb5b>

**Figure 2.**  
Open-Loop and Closed-Loop Pumped Storage Hydropower.



Courtesy of the U.S. Department of Energy. <https://www.energy.gov/eere/water/pumped-storage-hydropower>

### Closed-Loop PSH

Siting a closed-loop system has the greatest flexibility, since it is not dependent on an existing waterbody. There are more locations where such a system can be sited, including closer to built environments, brownfields, and transmission lines. An operational benefit of a closed-loop system is that it can have a rapid ramping rate, since that would not harm aquatic species, however this type of fluctuation could potentially affect avian or terrestrial species using the reservoir.

Closed loop PSH systems may have a greater potential impact on terrestrial ecology, cultural resources, and land use since two reservoirs must be constructed on upland (not aquatic) locations. The reservoirs must be initially filled with water, and also filled periodically to make up for water lost through evaporation and possible leakage, though leakage is greatly decreased with the use of reservoir liners. Evaporation rates highly depend on the climate and the size of the reservoirs.



## Open-Loop PSH

The lower reservoir of an open-loop PSH is connected to a flowing waterbody, separated by a dam. This can cause a greater negative impact on aquatic ecology and fish than closed-loop. It also may have a greater operational impact on surface water quantity and water quality, affecting the naturally flowing water that was dammed to make the lower reservoir. Nearly all of the existing PSH facilities in the U.S., all built decades ago, are open-loop.

## Other PSH Design and Configuration Approaches:

There are ways to increase capacity of existing PSH or create new PSH energy capacity without constructing two new reservoirs, whether open-loop or closed-loop. There are, and continue to be, technological advances in power generation equipment, fish screens, dam safety, and other technologies that can improve project generation and environmental protection at new and existing plants.<sup>22</sup>

A third type of PSH system configuration, called “add-on PSH” systems utilize an existing reservoir and a new constructed upper reservoir. These reservoirs can be originally built for reasons other than electricity generation, such as for municipal water use, irrigation, and flood control.<sup>23</sup>

An additional approach that is getting more attention is using former or abandoned underground mines or open pit mines to develop pumped storage. The obvious advantage to this is the use of already impaired land, much of it at different elevations. Potential issues of water quality from these mines must be researched to assure no contamination of nearby watersheds or habitat, but several projects in early development show promise.

## Existing and Proposed PSH

PSH has been providing energy storage for about 100 years and is the largest contributor to U.S. energy storage. As of 2022, the 42 existing PSH projects provided over 90% of the total energy storage capacity in the U.S. This is about 22 gigawatts of generating-capacity, and over 550 GWh of energy storage capacity.<sup>24</sup>

In Washington state, besides the proposed Goldendale Energy Storage Project, there are no other PSH facilities that are close to licensing, as can be seen in Figure 3 on page 10. However, two in the state have been given preliminary permits by the Federal Energy Regulatory Commission – Badger Mountain PSH and Saddle Mountain PSH (see Figure 4 on page 10).

22 Koritarov, V., Q. Ploussard, J. Kwon, and P. Balducci. 2022. A Review of Technology Innovations for Pumped Storage Hydropower. Argonne National Laboratory. ANL-22/08. <https://publications.anl.gov/anlpubs/2022/05/175341.pdf>

23 National Hydropower Association. 2021. 2021 Pumped Storage Report. <https://www.hydro.org/wp-content/uploads/2021/09/2021-Pumped-Storage-Report-NHA.pdf>

24 Uría-Martínez, R., and M.M. Johnson. 2023. U.S. Hydropower Market Report Data (2023 edition). Oak Ridge National Laboratory, Oak Ridge, Tennessee, USA. doi.org/10.21951/HMR Data/1994511. <https://www.energy.gov/sites/default/files/2023-09/U.S.%20Hydropower%20Market%20Report%202023%20Edition.pdf>.




The Banks Lake Pumped Storage Project is another project of note, located in Washington, which is in early stages of assessment, but not under FERC's jurisdiction because it would utilize resources owned by the U.S. Bureau of Reclamation, an agency not subject to FERC's regulatory authority.<sup>25</sup> More information on FERC and non-FERC projects can be found in the Topics section on State and Federal Permitting and Licensing Processes.

DRAFT

---


<sup>25</sup> Bureau of Reclamation. 2023. Interior Region 9, Columbia-Pacific Northwest Region, Lease of Power Privilege – Banks Lake Pump Storage Project. <https://www.usbr.gov/pn/programs/lopp/bankslake/index.html>

**Figure 3.**  
Pending Licenses and Relicenses for Pumped Storage Projects Map, as of April 8, 2025.



Courtesy of the Federal Regulatory Energy Commission.  
<https://www.ferc.gov/media/pending-licenses-and-relicenses-pumped-storage-projects-map-0>

**Figure 4.**  
Issued Preliminary Permits for Pumped Storage Projects by FERC as of April 8, 2025



Courtesy of the Federal Regulatory Energy Commission.  
<https://www.ferc.gov/media/issued-preliminary-permits-pumped-storage-projects-map>



## PSH Siting Study Approach

An important decision early in the study design was to call this process a study, or information study, and not a project. The term “project” may be suggestive of an actual proposal or on-the-ground development of a PSH system. Given the opposition to PSH that already exists among some Tribes, environmental NGOs, and others, using the more accurate term of “study” would hopefully encourage more open participation and avoid negative assumptions about the study.

Another decision at the beginning was to focus primarily on closed-loop PSH facilities. Based on research on PSH systems and conversations with Washington state agency staff and others, it appeared that any development that could potentially harm fish and the aquatic ecosystem in Washington state, with its strong environmental regulations and values, could be difficult to achieve. This is a shift seen across the U.S. PSH industry, as most of the current proposals are for closed-loop systems. In addition, the National Renewable Energy Laboratory (NREL) had recently published the *Closed-Loop Pumped Storage Hydropower Resource Assessment for the United States*.<sup>26</sup> This report used data to identify theoretical pairs of reservoirs for closed-loop systems across the U.S.,<sup>27</sup> and that data is used as the basis for the mapping deliverable requested by the legislature.

Although the focus was on closed-loop PSH, the siting study team was open to all information and participant comments heard throughout the process, and assessed that information to develop the final key points and suggested recommendations.

### PSH Siting Study Team

WSU contracted with professionals to form the PSH Siting Study Team to carry out the siting study. Terri Parr, WSU Tribal Liaison for Special Projects, worked as part of the team to facilitate contact with Tribal partners and review Tribal communications, as well as facilitate connections with the Affiliated Tribes of Northwest Indians (ATNI) for conferences and conventions. Staff from Ross Strategic provided meeting support and facilitation, as well as outreach to Tribes and agencies. Mapping, GIS support, and technical support came from Meridian Environmental.

### Outreach and Engagement

The PSH Siting Study Team developed communication and engagement plans to reach interested Tribes, agencies, and stakeholders. The first outreach was to the chairs, natural resources directors, and cultural resource directors or Tribal Historic Preservation Officers (THPOs) of Washington federally recognized Tribes, as well as those Tribes who have usual and accustomed areas in Washington.

26 Rosenlieb, E., D. Heimiller, and S. Cohen. 2022. Closed-Loop Pumped Storage Hydropower Resource Assessment for the United States. National Renewable Energy Laboratory. Golden, CO. NREL/TP-6A20-81277. <https://www.nrel.gov/docs/fy22osti/81277.pdf>

27 A “theoretical pair of reservoirs” in the NREL report is a modeled (not real) pumped storage hydropower site consisting of two reservoirs.

To decide what form engagement should take – in person meetings across the state and/or online meetings, for example – the team solicited feedback from attendees at the PSH Siting Study introductory webinar on June 13, 2024. Participants preferred statewide online meetings focusing on different PSH siting topics. This viewpoint was further confirmed by an industry developer who said that developers would most likely not attend meetings in a location that was not near their project, so online meetings would be better.

Using lists of previous and current contacts, including Tribes, agencies, local government, environmental NGOs, associations, and developers, the team contacted nearly 800 people throughout the course of the study to invite them to meetings and to provide information.

## **Tribal Engagement**

The PSH Siting Study Team drafted a Tribal engagement plan to frame Tribal communication for the study period. In addition to communications going out to all 29 federally recognized Tribes in Washington state and Tribes in neighboring states who have rights in Washington, study team members attended and occasionally gave presentations at ATNI conventions and summits, and they also met with some Tribes separately from the main meetings.


A Tribal Forum was held in January 2025 with the intent to listen to concerns and interests without public or government agencies present. While the Forum was very useful and offered new viewpoints, Forum participants, and other Tribal partners as well, made clear that they appreciated attending the public meetings with the agencies, developers, and other public participants so that these other entities could hear from the Tribes directly. Concerns and suggestions from the Tribal Forum are included under the appropriate subheading in the Topics section.

Over the course of the meetings and Tribal Forum, 13 Tribes (including 11 of the 29 federally-recognized Washington state Tribes) were represented, as well as staff from the ATNI and the Columbia River Inter-Tribal Fish Commission (CRITFC).

## **Meetings**

Five public statewide online meetings on various topics relevant to PSH siting were held between September 2024 and January 2025. The term “public” does not apply to Tribes as they are sovereign governments. However, Tribal partners were encouraged to attend. We chose to use the term “public” to distinguish these meetings from other individual or small group meetings. Many Tribal members attended the public meetings, and we heard from Tribes that this was important so that agencies, developers, and others could hear the Tribal viewpoints.

The statewide meetings provided technical information from subject matter experts about PSH technology, and potential impacts and mitigations from PSH construction and operations. This provided a foundation of knowledge for participants to engage in discussions and share insights. The



*At every meeting,  
the team made  
it clear that  
this was an  
information study  
– no projects were  
being promoted or  
proposed.*

meetings usually followed a typical pattern of a quick recap of PSH technology, presentations on topics, question-and-answer time, and audience participation and breakout sessions. Smaller breakout sessions and poll questions gave participants the opportunity to further discuss topics, and voice their concerns, questions, and suggestions.

At every meeting, the team made it clear that this was an information study – no projects were being promoted or proposed.

Below are the statewide meeting dates, topics, numbers of attendees, and presenters, as well as a direct link to a meeting summary. The information from the meeting presentations is provided under the topics section, as are participant comments. Detailed information of comments is in the appendix.

#### **Introductory Webinar**

**June 12, 2024, 93 attendees**

- Introduction of PSH siting study and PSH technology – WSU Study Lead Karen Janowitz
- NREL Resource Assessment Theoretical PSH Reservoir Pairs – Jeff Boyce, GIS Analyst, Meridian Environmental

#### **PSH Basics and Tribal Cultural Resources**

**September 11, 2024, 90 attendees**

- Pumped Storage Hydropower Basics – James Saulsbury, Energy & Water Systems Analysis, Idaho National Laboratory
- Tribal Cultural Resources – Karen Capuder, Senior Archaeologist, Confederated Tribes of the Colville Reservation

#### **Aquatic Ecosystems, Water Quality, and Water Quantity**

**October 9, 2024, 57 attendees**

- Aquatic Ecology Impacts of PSH – Brenda Pracheil, Fisheries Biologist, Pacific Northwest National Laboratory (PNNL)
- Water Availability and PSH – Megan Kernan, Energy, Water, and Major Projects Division, WA Dept. of Fish & Wildlife

#### **Wildlife & Habitat, Geology, Access**

**October 31, 2024, 60 attendees**

- PSH Impacts to Wildlife & Habitat – Emily Grabowsky, Solar & Wind Energy Biologist, WA Dept. of Fish & Wildlife
- Geology & Soil Considerations for PSH – Mike Manwaring, Regional & Sector Lead, Stantec
- Land Use Considerations: Air, Aesthetics, & Access – Maryalice Fischer, Certification Program Director, Low Impact Hydropower Institute



### **PSH State & Federal Permitting and Licensing Processes**

**December 4, 2024, 52 attendees**

- Overview of Federal Energy Regulatory Commission (FERC) Hydropower Licensing Process – Aaron Levine, Senior Legal & Regulatory Analyst, National Renewable Energy Laboratory (NREL)
- Washington State Environmental Policy Act (SEPA) – Fran Sant, Clean Energy SEPA Review Lead, WA Dept. of Ecology
- Section 106 of the National Historic Preservation Act – Rob Whitlam, State Archaeologist, WA Dept. of Archaeology & Historic Preservation

### **Other Gravity Energy Storage – Rail and Abandoned Mines**

**January 23, 2025, 47 attendees**

- Advanced Rail Energy Storage (ARES) – Ray Wiseman, General Manager, Yakama Power
- Pumped Storage Using Abandoned Mines – Tim Scarlett, Associate Professor, Michigan Technological University

**Summaries from the meetings and the introductory webinar, video recordings, and meeting slides are available for viewing at <https://www.energy.wsu.edu/CleanFuelsAltEnergy/PSHSiting/Meetings.aspx>.**

Over 250 individuals attended the introductory webinar and five public meetings, many of them attending more than once, so that total attendance was over 400 appearances. Sectors with the most participants are listed below.

- State agencies ..... 19%
- Tribes ..... 15%
- County government ..... 12%
- Industry ..... 12%
- NGOs ..... 10%

Utilities (collectively) had participation that was under 10%, as did the federal government and other sectors including citizens and landowners, universities, associations, media, city government, and conservation districts.





## PSH Topics

The siting of PSH facilities, which includes both construction and operations, changes the land and environment, and can cause potential effects on elements such as wildlife and habitat, traditional cultural resources, water quality, noise levels, and more.

Through presentations from subject matter experts, the PSH meetings provided information on the various topics listed above, and their possible impacts and mitigations. Further information for this report on impacts and mitigation was gathered from published reports on a variety of PSH siting topics.

While a body of information and research on impacts of and accompanying mitigation for PSH systems has been assembled for this siting study, it is not extensive, especially given that some PSH systems have been operating for decades. Most of the current PSH facilities were built before the existence of the endangered species act or clean water act or state regulations, and there is scarcely any information synthesizing the impacts from these plants, such as for drought mitigation, carbon sequestration, and environmental impacts. However, when these projects are up for relicensing, the facilities must be assessed for environmental impacts and meet the requirements.

This section contains the bulk of the report. Each category of impact is further divided into:

- Background information on the topic from subject matter experts and published literature, including potential impacts and mitigations
- Participant issues and suggestions from meetings, conversations, and conferences

Appendices A and B contain more detailed information on the participant comments regarding issues and suggestions, as well potential impacts and potential mitigations.

The term mitigation is used in this report to signify actions, or non-actions, taken to avoid, minimize or lessen compensate an impact. The following mitigation sequence is a concept used by the Washington Department of Ecology SEPA rules.<sup>28</sup>

- Avoid the impact (site specific)
- Minimize impacts (site specific)
- Repair, rehabilitate, or restore affected environment
- Reduce impact over time
- Monitor impact

<sup>28</sup> Washington State Legislature. WAC 197-11-768. Mitigation. <https://app.leg.wa.gov/wac/default.aspx?cite=197-11-768>

## **Tribal Cultural Resources and Tribal Rights**

### **Background**

This section discusses Tribal sovereignty, Tribal rights, and Traditional or Tribal cultural resources. Much of this information is from the presentation provided by Karen Capuder, a senior archaeologist for the Confederated Tribes of the Colville Reservation during the September 11, 2024 PSH Siting Study meeting.

Most federal, state, and local cultural resource mandates and policies define cultural resources to consist of property types such as objects, buildings, structures, districts, and sites, which include Traditional Cultural Properties (TCP). These are determined eligible for listing or formally listed on the National Register of Historic Places.

However, the term “resources” can be problematic because it often relates to property and commodification, which is not congruent with the way cultural resources are conceived by many indigenous people. Tribes may consider cultural resources to include locations where spiritual activity or prayer take place, as well as their relationships with animals and plants because of the cultural values and teaching associated with them. They may also include air and water quality, and aquatic and terrestrial resources. Different Tribal communities have different definitions of what constitutes a cultural resource

Furthermore, disclosure of culturally and spiritually sensitive information could violate Tribes’ ancestral laws and traditional teachings, part of the reason why Tribes may not want their cultural resources mapped or shared with developers and agencies.

Tribes have inherent sovereignty (defined as the power to make one’s laws and be governed by them). As independent sovereigns, Tribes have government to government relationships with federal, state, and local government entities. States have no inherent jurisdiction over reservations.

In Washington state there are treaty Tribes, as well as executive order Tribes, and Tribes whose reservations were created by statute or who have subsequently been recognized by the federal government as Tribes. These instruments other than treaties also reserve Tribal rights with equally binding effect. Treaties are grants of rights from Tribes to the United States, because these sovereign rights are inherent and predate the formation of the United States. Tribes that are not signatories to treaties and Tribes whose treaties have been abrogated have legally ceded none of their homelands and none of their inherent sovereignty.

### **Potential Impacts and Potential Mitigation**

Invited experts and published literature provided the information about potential impacts and mitigations measures to cultural resources, regarding PSH.

Important sites could potentially be disturbed or destroyed if PSH were to be sited on or near them. This includes indigenous settlement sites, human burial sites, and sacred sites. Visual views may also be impacted if siting occurred adjacent to culturally significant sites used by local Tribes for traditional cultural practices.

A first step in mitigating culturally important sites is to avoid siting PSH projects where they are located. Many sites are regarded as irreplaceable, and cannot be repaired or compensated for.


Conducting Tribal consultation and community engagement early on can help identify where culturally significant sites are located in order to avoid them.

### **Participant Issues and Suggestions**

The following are major issues, concerns, and suggestions from participants at PSH Siting Study meetings, as well as at separate meetings with Tribal partners. Appendix A provides complete comments.

#### **The harm or destruction to traditional cultural resources and how the harm cannot be mitigated, only avoided**

was the concern that stood out the most, among those voiced about Tribal cultural resources. Meeting participants expressed the cultural and ecological connection and relationship to these sites that cannot be interrupted and that they carry individual and family identities. As one participant said, *“Would you propose a development on Arlington National Cemetery?”*



**Tribes are constantly asked to compromise.** Tribal rights and resources keep getting chipped away. The constant pressure for Tribes to compromise is considered a social injustice. If “no” is not an acceptable answer from the Tribes than it is not consultation.

**Tribes take on disproportionate burdens of adverse effects while not benefiting environmentally or economically.** Also, it was stated that cumulative impacts from many projects add up – they affect the shrubsteppe area, and impact access to sacred areas..

**Cultural resources are often ignored and/or not valued when clean energy facilities are being sited.** Tribal participants said that Tribes generally support clean energy projects, but not at the expense of cultural resources. Constant training of non-tribal staff on basics of Tribal sovereignty and cultural resources is exhausting to Tribes but they want to make it clear that talking to Tribes is not just ‘checking the box’. The current siting laws work such that they reduce everything to a monetary value; tribal resources don’t get considered and will be lost if a developer can save money by building right next to a transmission line. Past experience of Tribes has shown that industry has not honored or acknowledged that tribal rights can be exercised in or near the facilities.

**Tribes are often brought in too late to proactively identify cultural resources and suggest alternative locations or approaches.** It was said that Traditional cultural resources such as traditional food gathering and viewsheds may be impacted because their locations are often not known to non-tribal stakeholders until a project is well on the way to development.

#### **Information about cultural resources is very sensitive to Tribes and cannot be disclosed.**

Disclosure of spiritually sensitive information is of extreme concern and can violate Tribal ancestral laws and traditional teachings.

**Impact on the local community from construction is a concern.** This includes “man camps” with workers from out of the region, which can promote apprehension given the prevalence of native women’s disappearances.

**Do not develop areas that will impact Tribal cultural resources or other Tribal interests** was the main suggestion by participants. While avoidance all together should be the goal, one participant said that If important Tribal areas cannot be avoided, work with folks to decide if the project needs to be done or not.

**Developers and agencies should engage early with Tribes about cultural resources.** One participant said that interacting with Tribes early in the process will greatly benefit Tribes and require that federal agencies uphold their trust responsibilities; together, these steps will make the siting process more meaningful going forward.

**Proactively analyze impacts on cultural resources that seem particularly likely for PSH.** Ridges above rivers are important spiritually.

**Monitor sites over time for impacts on cultural resources and continue to engage Tribes.** Implement sustained consultation and observational data collection.

## **Aquatic Ecology**

### **Background**

Impacts to aquatic ecology occur mostly with open-loop PSH since they are connected to streams or other waterbodies. These impacts are relatively low for closed-loop systems.

### **Potential Impacts and Potential Mitigation**

According to subject matter experts and published literature, the greatest impacts from open-loop PSH on aquatic ecology is the loss of aquatic habitat and barriers to fish migration from dams, which can also change the composition of fish species. Natural river processes could also be inhibited and river fluctuations could occur from the PSH operation.

Mitigation includes Implementing additional studies and monitoring along with a control plan, replacing wetlands, and establishing two ponds and stock to provide warm water fish habitat.

### **Participant Issues and Suggestions**

**The loss of fish from open-loop reservoir construction, drawdown in reservoirs with hydrologic connectivity that can affect fish and other aquatic biota, and invasive species in ponds** were among the impacts that participants were most concerned about, regarding aquatic ecology. One participant stated: “Having worked previously in the permitting of salmon habitat restoration, I find it incredulous that any of these potential projects would ever actually happen because of the major impact it would have on any of our regional watersheds.”

**Create requirements for mitigation steps** to avoid or reduce the loss of riparian habitat and/or aquatic habitat conditions and functions.

## Water Quality

### Background

Water quality of PSH reservoirs, and also of groundwater and other surface waters can be impacted by the operation and construction of PSH facilities. Water quality can deteriorate over time in a closed-loop system because with no connection to fresh water, evaporation can occur. This produces a negative change in total dissolved oxygen, and potential change in salinity. If there are contaminants nearby that flow into the reservoirs during precipitation events, their concentration can increase when evaporation occurs.

In open-loop PSH systems, water quality can occur from warmer upper reservoir flowing into the reservoir that is hydrologically connected to a river or stream.

### Potential Impacts and Potential Mitigation

Water quality impacts are different between surface and groundwater, though there are some similarities. Surface water can be affected when evaporation occurs, leading to increased concentrations of dissolved solids such as metals and other contaminants. If this water seeps into the groundwater, it can impair groundwater quality. The accumulation of microorganisms, algae, and plants can impair surface water, as well as warming of the water.

Ways to mitigate these impacts include creating evaporation ponds or water treatment facilities and not operating in areas that contain legacy groundwater contamination. Installing impermeable liners in reservoirs and all water conveyance structures can prevent leakage to groundwater. And finally, continuous monitoring and developing water quality plans is recommended by experts and the literature.

### Participant Issues and Suggestions

**Algal blooms and water temperature fluctuations**, which could affect cooler river water were a few of the specific concerns, though participants expressed many general water quality concerns as well.

**In open-loop systems, there was concern that smolts (young salmon) could be impacted by water temperature** as they migrate out to the ocean or circulate in the system before they migrate out. A Tribal member expressed the importance of not increasing salmon mortality due to PSH, especially at this time when Tribes are moving toward full reintroduction of anadromous fish.

## Water Quantity and Water Availability

### Background

Two distinct concepts affect water availability in Washington state – the physical availability of water, and the legal availability to acquire water. Surface waters have low flow during dry summers and depend on groundwater or melted snowpack. The lowest flow periods are when water is needed most. Groundwater, including aquifers, and surface water are often hydrologically connected, so what affects one may affect the other.

According to the presenter from WDFW, Megan Kernan, water law is a complicated subject in Washington state. In simple terms, water law is about the allocation of water, which is determined by the seniority of a water right. This is then complicated by In-stream flow rules, which are

unique to Washington state. These are administrative code rules that specify a minimum in-stream flow, or minimum level of water for certain streams and rivers, for the purpose of protecting habitat and fish.

Although all water rights in the state are already allocated, there are various ways to acquire water, such as purchasing or leasing a water right from another entity, or purchasing mitigation credits from a water bank.

In one of the meetings, a county commissioner mentioned that counties will be updating comprehensive plans in 2025 and need to be aware of the potential for these types of projects so they can understand how to accommodate them within new planning documents.

Concerning the possibility of a developing a PSH system by adding tunnels and turbines between Roosevelt Reservoir and Banks Lake, there was some speculation that since it would use two existing waterbodies, it would not need a new water right. The WDFW presenter mentioned that a new system would need to consider the requirements that the existing system might have with respect to maintaining set water levels in the reservoirs at designated times throughout the year.

### **Potential Impacts and Potential Mitigation**

Potential impacts of using water to fill PSH reservoirs, as gathered from invited experts and published literature, include loss of groundwater and surface water. Wetlands, water supplies for wells, and agricultural irrigation could be affected if they are hydrologically connected to the water source.

Timing when the initial reservoir fill and refill occurs, as well as how often and the quantity of water, can avoid or reduce many of these impacts. If the water source is connected to irrigation water, schedule filling of the reservoir during the non-irrigation season.

An impact concerning water quantity is that precipitation runoff collected in reservoirs could potentially overflow and impact dam safety and wetland drainage patterns.

### **Participant Issues and Suggestions**

**The use of water for filling reservoirs impacting future water availability, reducing groundwater, and affecting wildlife** were the major concerns expressed by participants. A recurring issue was the continued need to refill reservoirs to make up for evaporation loss, while climate change and increased populations could change where and how much water is needed. One participant asked “Who will do without water to satisfy the PSH need for this limited resource, which is under increasing pressure from development and a changing climate?” As for wildlife, If groundwater reduces recharge of wetlands systems, wildlife who use the wetlands, especially during the breeding season, could be affected.

**investigating ways to minimize reservoir evaporation losses** and documenting possible groundwater withdrawal effects were a few participant suggestions.



## Wildlife & Habitat / Terrestrial

### Background

One of the larger potential impacts from PSH, especially closed-loop systems because of the construction of two reservoirs, is to the terrestrial ecosystem.<sup>29</sup> Construction of facilities, which may include transmission line construction, converts land to industrial use, and potentially removes wildlife habitat.

### Potential Impacts and Potential Mitigation

According to Emily Grabowsky, biologist at WDFW, as well as other experts, common impacts to wildlife habitat from large-scale projects are loss of habitat, habitat fragmentation, and loss of connectivity, especially for wildlife whose migration routes are blocked. The species most likely to be impacted by PSH projects are those that need upland habitat or shrubsteppe to survive.

Loss of habitat and fragmentation can lead to diseases from animals living closer to each other, and a loss of genetic diversity from population decrease. Noise and vehicle emissions can lead to a disruption of species' critical life history, including abandoned nests. Vehicles and traffic can also lead to direct mortality.

There are also impacts from reservoirs on terrestrial species. Reservoirs can be a drowning hazard by attracting wildlife, and water level fluctuations can increase the potential for invasive species.

Using tools and resources that identify priority habitats, as well as field surveys, can reduce or avoid harm to habitat and wildlife. Developing protection plans and ongoing monitoring is important. There are many other mitigations, including restoring and enhancing habitat, decommissioning unnecessary roads after construction, and timing disruptive activities to avoid critical life history periods. Appendix A includes more impacts and possible mitigations to terrestrial wildlife and habitat.

### Participant Issues and Suggestions

**The effects from habitat and loss** was a large topic of discussion, including the impact on species dependent on shrubsteppe habitat and interdependent species. An example of this is that badgers, with declining numbers, dig holes and burrowing owls then use those holes for their nesting burrows. Also mentioned were the disruption of movement corridors from the placement of facilities and safety controls such as fences.

**Facility construction can bring in invasive and non-native plant species**, and create a domino effect through the spread of unwanted seeds and pollen.

**Monitoring and establishing baseline habitat conditions** were suggested by participants. Avoiding areas that have high quality native habitat and listed species were important, and someone mentioned including habitat connectivity in project design.

---

29 Saulsbury, B. 2020. "A Comparison of the Environmental Effects of Open-Loop and Closed-Loop Pumped Storage Hydropower." Pacific Northwest National Laboratory. PNNL-29157.  
<https://www.energy.gov/sites/prod/files/2020/04/f73/comparison-of-environmental-effects-open-loop-closed-loop-psh-1.pdf>

**Avoid locating PSH next to wind energy projects.** Open reservoirs can create beneficial habitat for small mammals, bats, and migratory birds. The increase of these populations attract birds of prey, which increases the risk of collision between them and the wind turbine blades.

## Geology and Soils

### Background

Understanding the site-specific surface and subsurface geology, and the hydrology of projects is crucial to understand potential project impacts from development and operations, manage risk, and understand potential costs, and ultimately design PSH facilities appropriately, according to a presentation by Mike Manwaring, regional and sector lead for an engineering consultant firm. These are the goals of onsite geologic and geotechnical studies, which include site suitability investigations such as geotechnical studies and mapping.

Understanding baseline conditions and the associated potential for shoreline erosion and landslides is essential. The most suitable sites are those with stable slopes and low-permeability soils. Most sites need reservoir liners to prevent water from leaking into the groundwater.

Typically, vegetation is removed when the hole is dug for a reservoir in order to prevent dead vegetation in the reservoir from potentially creating methane. Replanting slopes or shoreline is almost always done with the native species that were there before. Non-native vegetation is usually not planted, even if it could help reduce evaporation. It is important for the developer to partner with those who know the vegetation in the area, such as local Tribal or environmental partners.

Engineers study, upfront, the potential to induce seismic activity that might not otherwise occur without the presence of a PSH project. If there is a failure, it is not caused by the weight of the water – it is caused by the fairly rapid removal of the water. A smaller reservoir that completely empties or fills over a day has more potential for failure. Analysis must be done to determine the locations of potential faults.

### Potential Impacts and Potential Mitigation

Potential impacts related to geology and soil that can occur due to PSH include subsidence, which is the sinking of an area, increased seismic risk and erosion, and seepage or leaking from the reservoir.

Mitigation for these potential are done mostly in the design and construction stages of a PSH facility. Engineering studies are done on every site, as every site has unique geology and structure. The studies are used to design the facility for the maximum critical credible earthquake in the area. Potential mitigation also includes stabilizing soils, timing construction not during wet periods, and installing impermeable liners in the reservoir.

### Participant Issues and Suggestions

**Participants expressed concern about ground disturbance and induced seismicity.** A Tribal member pointed to the fires in eastern Washington that have burned off vegetation and roots, which along with increased rain events can create the risk of slope failures and landslides during earthquakes. Structural failures could also cause water quality problems by releasing water into rivers, impacting salmon. Though engineers and developers plan to prevent failure, unforeseen failure events do happen.

## Land use – Air Quality, Aesthetics, Access, Lighting, Noise

### Background

All large-scale developments have land use impacts. Clearing and changing large pieces of land to construct and operate PSH facilities can be noisy, create emissions from vehicles and equipment, limit access and recreational use, change the look of an area, and light an area that was previously dark. In addition to some of the impacts cited in topics above, such as on traditional lands and sensitive protected lands, impacts can also include increased fire risk from transmission lines; potential conflicts with compatibility of management or development plans at local, regional, or state levels; and the potential for unanticipated land changes due to faulty design, dam failure, overtopping, and flooding.

#### **Siting considerations for avoiding or minimizing these impacts include:**

- Engage early and often with Tribes, local communities and government at multiple levels
- Avoid sensitive sacred areas
- Utilize already developed sites if possible
  - Add-on projects: Add pump storage or reversible turbines between two existing reservoirs.
  - Repurpose old mine sites
- Site and design to minimize footprint and accommodate pre-existing uses
- Enhance existing conditions if possible
- Conduct wildfire risk assessment and develop mitigation plans
- Conduct risk assessments and develop avoidance/minimization plans for other identified impacts

#### **Potential Impacts and Potential Mitigation**

Subject matter experts and published literature provided information about potential impacts and possible mitigations from air emissions, noise, lighting, and other elements of land use regarding PSH plants.

Dust and vehicle emissions, and noise can impact wildlife, as well the local community who lives nearby. Other air quality problems could occur if the site of a future reservoir was not cleared of vegetation; dead vegetation in water can produce methane. Lights used in construction, and during plant operations may disturb nocturnal species, and if near outdoor activity areas, can disturb campers.

Some of the many possible mitigation measures include a “no idling” policy for vehicles, restricting timing of loud activities, creating buffers out of vegetation or fences, and using lighting products that minimize visibility from long distances. Directional lighting and lighting hoods are also options.

As views can be impacted, a “Photoshop trial” can be performed by modifying a photograph of the pre-construction reservoir site to visualize what it would look like filled with water, and possibly alter designs accordingly.

Other possible impacts are listed in Appendix A.

## Participant Issues and Suggestions

Issues expressed by participants included air quality, lights, noise, and ground vibrations changing the migration of birds, bees, and other wildlife. New recreational opportunities may be possible for open-loop systems, but safety concerns prohibit recreational opportunities for closed-loop PSH.

## Socioeconomics

### Background

PSH facilities are usually located in rural areas with low population density and often few services. When large facilities are constructed, there is an increase in the number of construction and other workers, as well as vehicles and large equipment. Workers may be unable to find sufficient housing or services such as food stores, fuel stations, banks, and the like. Pollution from the vehicles exhaust may increase, and increased traffic could disrupt school traffic. Safety becomes an issue.

### Potential Impacts and Potential Mitigation

Invited experts and published literature point to socioeconomic potential impacts such as increased traffic from workers and construction vehicles on local roads, leading to school traffic disruption. As stated above there may be housing or service shortages, stressing local resources of small communities.

Mitigation strategies to help remedy increased traffic concerns include monitoring traffic conditions, implementing shuttle bus use, using staggered work shifts, and avoiding travel when local schools begin and end their day. If possible, constructing more housing and essential service would be useful, although it may become a problem once construction is completed.

Engaging with the local community and nearby Tribes to determine mitigation strategies could help decrease impacts.

## Participant Issues and Suggestions

**Some Tribal members expressed strong concern about the safety of indigenous women** given the influx of out-of-town workers, and possible “man camps”.

**Participants also had questions about whether such projects provided economic, social, and other benefits to local communities**, and if the facilities would have an impact on local property taxes.

## State and Federal Permitting and Licensing Processes

This section provides a basic knowledge of some of the processes for permitting and licensing a PSH facility. The information is from three subject matter experts who gave presentations at the December 4, 2024 PSH Siting Study meeting: Aaron Levine, Senior Legal & Regulatory Analyst with NREL; Fran Sant, Clean Energy SEPA Review Lead, Ecology, and: Rob Whitlam, State Archaeologist with DAHP.

A longer description of state and federal permitting, licensing, and environmental review processes is in Appendix B.

The permitting and licensing processes for a PSH facility through federal and state agencies can be a lengthy process. Although these processes do not directly create impacts such as those that occur during construction or operation, they are just as crucial because the decisions made at this stage and the process structure itself can diminish or multiply future siting issues, or even determine if a facility is licensed at all. For example, early and meaningful communication with Tribes, the local community, and others in the vicinity of a proposed facility can help ensure that PSH facilities are sited responsibly.

## **Background**

### **Federal Permitting and Licensing**

The permitting and licensing processes for PSH can be complicated with different paths and a multitude of agencies involved. If a PSH project is owned and/or developed by a non-federal entity, it is considered a non-federal project, although the Federal Energy Regulatory Commission (FERC) is the agency that issues most of the required permits and licenses. Projects developed and owned by federal agencies such as the Bureau of Reclamation or Tennessee Valley Authority have different licensing processes, which are not discussed in this report.

It is important to note that PSH development companies often apply for and obtain a preliminary permit without first contacting local Tribes or others who might be affected by the project. They do this to prevent the word getting out to competitors about a potential site. Consequently, a lot of preliminary assessment work is done by the developer before contacting the Tribe and determining if there are sites to be avoided. Obtaining a preliminary permit is not actually mandatory, but it does protect first right.

The FERC process for PSH facility licensing involves a preliminary permit (though not mandatory), and then pre-filing for a license which includes the Notice of Intent, when the pre-application document process starts. Many permits and certifications of regulatory compliance are gathered and submitted with the final license application. The issuance of final FERC license order may include mandatory terms and conditions.

There are two other processes for certain closed-loop non-federal PSH projects:

- Within FERC jurisdiction, there is a reduced licensing process, which has a two-year post-filing licensing process for qualifying closed-loop PSH, which usually shortens the process by about one year.
- Outside FERC jurisdiction, a closed-loop project may be licensed by a state or local jurisdiction if a closed-loop project is not on federal public land or a federal reservation; does not use surplus water or waterpower from a government dam; is not located on a non-navigable commerce clause stream, interstate or foreign commerce, and has undergone construction or modification since 8/26/1935, and; only uses groundwater to fill the system.

### **Washington State Environmental Policy Act (SEPA)**

The purpose of SEPA, the State Environmental Policy Act is to inform decision-making by identifying and disclosing environmental impacts before a public agency makes a decision. SEPA covers the assessment of impacts (both negative and positive) on both the natural environment (e.g., air, water, plants, animals) and the built environment (e.g., land use, transportation, public services).

The SEPA process is intended to inform decisions made by public agencies, but **it is not a permit decision**. The lead agency seeking SEPA assessment can be Ecology, the Energy Facility Site Evaluation Council (EFSEC), or a local government.

To enable early and meaningful engagement with stakeholders, Tribes, and interested parties, lead agencies should conduct a robust public involvement process. Early and meaningful engagement includes consideration of all phases of a project, including construction, operation, and decommissioning.

The National Environmental Policy Act (NEPA) is similar to SEPA. SEPA has the flexibility to adopt NEPA if the documentation is adequate, but there is not a reciprocal flexibility.

### **Section 106 of the National Historic Preservation Act**

The National Historic Preservation Act (NHPA) mandates certain roles and responsibilities for a federal historic preservation program, authorizing certain tools, resources, and processes, including the Advisory Council on Historic Preservation (ACHP) and the Section 106 review process.

Section 106 requires federal agencies to take into account the effects of their undertakings on historic properties, which include historic, archaeological, and significant cultural places. Physical alteration of the built or natural landscape is the main focus. The definition of an undertaking is:

*A project, activity, or program funded in whole or in part under direct or indirect jurisdiction of a federal agency; those carried out with federal money; those requiring a federal permit, license, or approval; those subject to state or local regulation administered pursuant to delegation or approval by a federal agency*

FERC licensing is an example of a project that uses federal money.

Complying with Section 106 is the responsibility of the federal agency and is a consultative process that involves multiple parties; the federal agency must reach out to states, Tribal government, and other affected parties.<sup>30</sup>

The process includes four overarching steps: initiate the process; identify the sites and conduct background and on-the-ground research; assess the effects and determine if there is no effect, no adverse (non-damaging) effect, or adverse effect, and; resolution of adverse effect, which could be failure to resolve.

### **Participant Issues and Suggestions**

Since the state and federal processes are entwined with each other, the highlights of comments from participants are combined below. Appendix B has a more complete list of comments.

---

30 Consultation is defined by the ACHP as “the process of seeking, discussing, and considering the views of other participants, and, where feasible, seeking agreement with them regarding matters arising in the Section 106 process”. [https://www.achp.gov/Section\\_106\\_Archaeology\\_Guidance/Questions%20and%20Answers/Section%20106%20consultation%20about%20archaeology](https://www.achp.gov/Section_106_Archaeology_Guidance/Questions%20and%20Answers/Section%20106%20consultation%20about%20archaeology)



**Developers and others need to understand the differences between engagement and government-to-government consultation** with Tribes in the FERC process; early engagement does not satisfy the required government-to-government consultation.

**Tribal engagement often happens too late in the process**, and project developers seem to underestimate the amount of Tribal engagement that is necessary to work through the process. Developing relationships with Tribes is important – it is not just a process requirement. The requirements for an adequate SEPA and NEPA process are ad hoc and subject to excessive litigation.

**It is important to understand that Section 106 is a process and not a protection.** The lead federal agency can decide to go ahead with a project as long as they follow the process to the letter. Lack of proper coordination between state and federal agencies can mean that cultural resource studies have not yet been conducted, yet a determination is made by SEPA.

**The length of the permitting process** was criticized by some participants because it takes too long, and there are too many regulations that new projects must comply with.

**Include all Tribes that may be affected by a project as all Tribes are different.** It is important to recognize the individuality and uniqueness of each Tribe.

**Suggestions to help developers work through the processes** included finding facilitation support and contacting the Governor's Office for Regulatory Innovation and Assistance (ORIA). ORIA has a service to help developers perform an early analysis of environmental characteristics and constraints, and they can connect developers with Tribal or stakeholder contacts relevant to their projects.

**SEPA should consider sufficiency of environmental review**, in the interest of expediting permitting for pumped storage hydropower, as well as considering alternative actions that would reduce disruption to the natural and cultural environment.

**Washington state counties will be updating comprehensive plans in 2025** as part of Growth Management Act (GMA) requirements, so they need to be aware of the potential for these types of projects to accommodate them within their local planning efforts.

## **Other Gravity Energy Storage Systems**

### **Background**

While pumped storage hydropower was the focus of the siting study, the siting study team felt it was important to look at other promising energy storage options that are also gravity-based. These are also classified as mechanical energy storage. The team considered the legislative directive to include mechanical energy storage technologies, but not electrochemical (such as lithium-ion batteries), thermal, or chemical (such as hydrogen).

The information below was provided by presentations at the January 23, 2025 PSH Siting Study meeting. It must be noted that these technologies are still in the very early stages of development.

### **Advanced Rail Energy Storage (ARES)**

Yakama Power, which provides electric power to the Yakama Reservation, is exploring the use of Advanced Railway Energy Storage (ARES) systems on the reservation. This gravity-based energy storage technology uses rail cars loaded with cement that use a rotating motor to move up a slope, creating potential energy. The potential energy is released when the rail cars move down the slope, to create electricity.

The strengths of ARES are that it is a mechanical gravity system, is flexible, and has less environmental impact in part because it does not use water. Participants from the Yakama Tribe expressed the importance of ARES not needing water, as PSH does. Ray Wiseman, General Manager of Yakama Power stated: “[ARES] allows us to place a battery storage facility on the reservation in which we could work with what the landscape would give us and not impose a project on the landscape.”

### **Pumped Storage Using Abandoned Mines**

In previous PSH Siting Study meetings, the use of abandoned mines for PSH was mentioned. Students at the Michigan Technological Institute have been studying this use, called Pumped Underground Storage Hydropower (PUSH), which uses abandoned mines as the locations for PSH. Using abandoned mines as sites for PSH can lower the impact by reusing existing infrastructure.

No PUSH projects are operating in the U.S., but there is a proposal for a PSH in an abandoned Kentucky coal mine. There is an operating project in an abandoned slate quarry in Wales, United Kingdom.

A problem that the students are finding is that assessing possible locations in the U.S. is difficult because data and maps on mines and abandoned mines is very inadequate. Mines are also very site-specific and differ greatly, so much work is yet to be done.

Although water quality could be an issue, it is very site (mine) specific. Since the mines are contaminated already, perhaps PSH would provide an opportunity to clean them up.

There are also some projects experimenting with using mines with solid mass to produce energy.

### **Participant Issues and Suggestions**

A few comments were provided by participants for this section. However, as the technologies are in the very early stages of exploration and development, there is not enough information to provide published literature impacts and mitigations on ARES and PUSH.

**One participant mentioned that underground pumped storage could possibly prevent the use of surface water in PSH,** but care would be needed regarding hydrological connectivity. It is good to use brownfields such as abandoned mines for redevelopment so no additional habitat is removed. It appears, at least initially, that a closed loop system has fewer impacts if located entirely below ground.

## General Observations – Participant Comments

Some participant comments were too general to belong to any one topic section, yet the study team felt they were important to include. These comments are included below

One participant noted: *“My assumption is that the WSU study is neutral with regard to what the project is used for. The fact is that a key driver of interest in new storage is a way of managing wind and solar on the grid, but pumped storage certainly is a ‘Swiss army knife’ that can be used with any kind of pumping energy and grid support system.”*

Energy demands fluctuate during the day, so no matter the energy source, storage lowers the overall cost of energy for ALL customers. That is the value provided by any form of storage, including pumped storage.

The Colville Tribes have two of the biggest dams in the state on their reservation, so they know the impacts of green energy. Speaking from experience, a Tribal member stated that the Tribe wants to make sure that any PSH project is done well and intelligently, and does not make the same mistakes that were done with hydropower dams, which everyone thought was the greatest thing at the time.

Curious about what trade-offs are acceptable between what we want to protect vs achieving clean energy goals.

According to a participant, utilities are looking for solutions to meet the green energy goals for the state – other options don’t provide the long-duration storage that PSH can achieve.



## Mapping

In the House Bill calling for the siting study, the legislature mandated that WSU develop a map with geographic information system (GIS) data layers that highlight areas identified through the process. WSU approached this task using, as a first step, information and data from the *Closed-Loop Pumped Storage Hydropower Resource Assessment for the United States* from National Renewable Energy Laboratory (NREL).<sup>31</sup>

The NREL report uses the term “**theoretical**” in describing the reservoir sites that they identified. The PSH Siting Study uses this term as well. It is important to understand that the reservoir sites on the maps are sites in theory only.

### NREL Report

Released in May 2022 by the U.S. Department of Energy Water Power Technologies Office (WPTO) as part of their HydroWIREs initiative,<sup>32</sup> *Closed-Loop Pumped Storage Hydropower Resource Assessment for the United States*, produced by the National Renewable Energy Laboratory, provides a “GIS-based analysis of potential new closed-loop PSH systems in the U.S.” The intent of the report is to help identify sites that could be further economically and environmentally assessed for potential PSH development, and to quantify the potential storage capacity for the country. This work was based in part on previous work done by the Australian National University, which created a global atlas of mostly off-river theoretical sites for PSH.<sup>33</sup>

An interactive map with the geospatial data that is described in NREL’s report can be found at <https://maps.nrel.gov/psh>.

Using 30-meter resolution digital elevation data, NREL identified the geographic locations and elevations of theoretical sites. The data presented is the third generation dataset.<sup>34</sup>

31 Rosenlieb, E., D. Heimiller, and S. Cohen. 2022. *Closed-Loop Pumped Storage Hydropower Resource Assessment for the United States*. National Renewable Energy Laboratory. Golden, CO. NREL/TP-6A20-81277. <https://www.nrel.gov/docs/fy22osti/81277.pdf>

32 United States Department of Energy. 2024. *Hydropower and Water Innovation of for a Resilient Electricity System* (Hydro WIREs) <https://www.energy.gov/eere/water/hydrowires-initiative>

33 Australian National University. 2024. *Pumped Hydro Energy Storage Atlases*. [https://re100.eng.anu.edu.au/pumped\\_hydro\\_atlas/](https://re100.eng.anu.edu.au/pumped_hydro_atlas/)

34 National Renewable Energy Laboratory. 2025. *Pumped Storage Hydropower Supply Curves*. <https://www2.nrel.gov/gis/psh-supply-curves>

The following design specifications were used:

- Storage duration for 8, 10, or 12 hours
- Reservoirs sized with dam heights of 40, 60, 80, and 100 meter (131, 197, 262, and 328 feet respectively)
- Minimum reservoir surface area; 10 hectares (25 acres).
- Minimum head height (elevation difference between reservoirs) of 200 meters (656 feet)
- Maximum head height of 750 meters (2461 feet).
- Maximum conveyance length distance to head ratio of 12:1.
- Capacity of each reservoir is within 10% of the other in the pair.

Using federal data, sites that were excluded include:

- Sites located within 1000 feet of a wetland
- Critical habitats for endangered species
- Existing water bodies and waterways
- Federal protected lands such as national parks
- Urban areas
- Pairs of reservoirs that intersect existing water bodies and waterways

The NREL resource assessment did not, however, exclude theoretical pairs from Tribal reservations. The NREL team said that by leaving the information in the reservation areas, Tribes could have the information and choose for themselves if they wanted to pursue PSH.<sup>35</sup>

An economic valuation model, *A Component-Level Bottom-Up Cost Model for Pumped Storage Hydropower*,<sup>36</sup> was used to identify the most economical pairs for the final data. As the PSH Siting Study report does not discuss PSH economics or valuation, refer to the valuation report for more information.

**It must be noted that the NREL model is just that – a model.** The information used to find the theoretical reservoir pairs came from digital satellite data – no one reviewed any of these sites on the ground. The model gives an indication of where sites might theoretically and potentially be located. However, there is a lot of assessment work that goes into finding appropriate locations. Developers at siting study meetings have stated that the pairings from the NREL report are not necessarily optimal.

## WSU PSH Siting Study Mapping

To begin developing a map that highlights areas identified through the siting process, which was the charge given by the state legislature, a map of Washington state showing the NREL theoretical pairings of closed-loop reservoirs was produced. The reservoir pairs are portrayed on the maps as a “barbell” – a short line with dots at both ends. On each barbell, the center of the dots are the two reservoir locations and the line shows the tunnels or penstocks (whether above or below ground) that would connect them.

<sup>35</sup> Online communication with Stuart Cohen and Evan Rosenlieb, NREL, March 28, 2025.

<sup>36</sup> Cohen, S., V. Ramasamy, and D. Inman. 2024. *A Component-Level Bottom-Up Cost Model for Pumped Storage Hydropower*. National Renewable Energy Laboratory. NREL/TP-6A40-84875.  
<https://www.nrel.gov/docs/fy23osti/84875.pdf>

NREL's resource assessment identified 408 theoretical pairs of reservoirs that are entirely within Washington state. Of these pairs, 91 have one or both reservoirs situated within a Tribal reservation. The study team decided to remove from the map the theoretical reservoir pairs situated within Tribal reservations – Tribes may choose for themselves if and how to use NREL's information. That leaves 317 sites (pairs) are entirely outside of Tribal reservations. Figure 5, at the end of this chapter, shows these theoretical pairs in Washington state, as well as predominant public land ownership.

The most frequently mentioned issues voiced by siting study participants involved traditional cultural resources, water availability, and terrestrial habitat, all of which are difficult to portray on a map, especially across the entire state.

In the end, the siting study process identified only a very few factors from which to create map layers. These layers were:

- Buffers along rivers
- Wind and solar projects in the state
- Transmission lines and substations

Tribes do not share their information about the locations of important cultural resources areas. However, during conversations with Tribes, they articulated that areas extending from rivers or streams up to ridges hold great spiritual importance. The Director of DAHP suggested that all land a half mile from rivers could be important traditional cultural areas. The team therefore decided to show a half mile buffer on both sides of major streams and rivers on two maps. Figure 6 shows major rivers with ½ mile buffers and all 317 theoretical PSH sites. Theoretical PSH sites which had at least one reservoir touching the ½ mile buffer was removed on the map in Figure 7. Some reservoirs (dots) appear to be within a buffer on Figure 7, but that is a result of the map scale and size of barbells to make them visible. Figures 6 and 7 are at the end of this chapter.


41 pairs of reservoirs had at least one reservoir with the 1/2 mile buffer of the Columbia, Snake, Okanogan, and Grande Ronde Rivers. Removing these leaves 276 theoretical pairs of PSH closed-loop reservoirs in Washington state, identified by NREL.

It must be stressed that removing the NREL sites from within river buffers does not mean that the remaining theoretical sites do not have any traditional cultural sites or are not important areas to Tribes. Tribes do not make their cultural resource areas public. Developers must do due diligence in contracting Tribes early and reviewing proposed sites with them.

The legislation suggested that WSU could choose to look at locating PSH sites near solar and wind projects. However, there was concern by participants not to place PSH near wind turbines because of the risk of raptors seeking prey over the reservoirs being injured by wind turbines. Figure 8 shows 317 theoretical PSH sites, along with existing utility-scale wind turbines and photovoltaic solar installations, and transmission lines greater than 220 volts.




**Figure 5.**  
**Washington State Land Ownership Map with Theoretical PSH Reservoirs**






**Figure 6.**  
**Washington State Map with Theoretical PSH Reservoirs and ½ Mile Major River Buffers**






**Figure 7.**

**Washington State Map with Theoretical PSH Reservoirs NOT Within the ½ Mile Major River Buffers**





**Figure 8.**  
**Washington State Map with Theoretical PSH Reservoirs, Utility-Scale Wind and Solar Installations, and Transmission Lines**





## Key Points

Throughout the PSH Siting Study, at meetings and in other discussions, a few themes stood out as major concerns – Tribal cultural resources, water availability, and terrestrial habitat. Aquatic habitat was also a concern with open-loop systems.

The concern about traditional cultural resources and siting clean energy facilities such as PSH is multi-faceted. Essentially, however, Tribes desire that no harm be done to these resources. The best way to guarantee such protection was stated again and again: avoid areas with cultural resources that Tribes identify and consider important.

Two related concerns voiced by Tribal partners and others are the toll taken by the cumulative effect of damage done to resources from different projects, and that Tribes feel that they are always asked to compromise. A major barrier that prevents the full inclusion of Tribes in siting processes is that preliminary permits are typically requested and issued before Tribes are made aware of the proposed project.

Water availability is of great concern, especially given the unknown future with climate change. Since Washington state freshwater resources are all allocated, there is concern that water rights leased or bought from elsewhere to initially fill closed-loop pumped storage systems could possibly create a deficit in agricultural water, domestic supplies, or a future need.

There is also a thought-provoking tension between the impacts of open-loop and closed-loop systems. Originally, pumped storage systems were all open-loop and had harmful effects on aquatic habitats and fish. The shift toward closed-loop systems may seem to have fewer impacts, yet more land is impacted when two reservoirs are constructed, and some of this land may be culturally important to Tribes or other community members.

As one subject matter expert participant put it: the move away from open-loop PSH to closed-loop PSH is a paradigm shift for the development community because of the differences in the greatest impacts from the different systems. Open-loop systems have impacts on aquatics, specifically salmon and other fish, while closed-loop systems are more of a land-based development, creating reservoirs on landscapes. Instead of the greatest impact being to the aquatic ecosystem, development of closed-loop systems now affects people and communities and those who have been living on these landscapes. Closed-loop has a holistic society impact, with environmental justice communities and potential benefits of new jobs, but it also impacts these same people and resources.



## Recommendations

From subject matter experts, research in published reports, and participant comments and discussion, WSU identified some suggested recommendations for the legislature, as well as for agencies and potential developers, to consider and explore in regards to siting PSH with the least amount of negative impacts. These suggestions reflect the views of the WSU study leads only. While they were informed by the study process and participants, these recommendations were not developed or affirmed by project participants.

**Early contact with Tribes and the local community should be a priority,** even if the processes, such as for obtaining preliminary permits, do not mandate it. Engaging at the earliest opportunity and developing relationships with Tribes can help guide development to appropriate sites and possibly prevent project delays due to siting on important cultural areas.

**Research water availability and future constraints.** Water availability issues might not easily be overcome for closed-loop systems, especially given the unknown changes in future climate scenarios. It is advised that early consideration and research go into any closed-loop facility in the state to make sure that the extraction of reservoir water from local sources does not eventually cause hardships for aquatic wildlife, domestic water supplies, agriculture, or irrigation.

**Consider other approaches to PSH.** Other approaches to PSH may be worth exploring, with the goal to limit negative impacts. One such approach is add-on PSH, for which an upper reservoir is constructed and connected to an existing reservoir to create a PSH facility. While technically open-loop, the dam already exists, so minimal additional impacts would be expected to the aquatic ecology. Connecting two existing reservoirs with an added tunnel and powerhouse is another approach that is currently being considered.



**Develop and utilize resources that can guide developers to areas with less impact on wildlife and habitat.** Tools exist, and more are being developed by Washington state agencies and others, to guide developers away from critical habitat for protected and other important species. Guidelines such as WDFW's *Guidelines for Utility-Scale Solar & Onshore Wind Energy*<sup>37</sup> and tools such as WSU's *Least-Conflict Solar Siting on the Columbia Plateau*,<sup>38</sup> although created for other large-scale clean energy projects, should be used for PSH projects as well.

**Consider utilizing criteria for low impact PSH when available.** A certification for low impact pumped storage hydropower facilities may be developed in the future by the Low Impact Hydropower Institute (LIHI).<sup>39</sup> LIHI is an NGO that has developed rigorous science-based criteria to certify hydropower generation projects (not PSH) as low impact. The certification process is voluntary. LIHI is nearing the end of a process to create definitions for what constitutes a low impact PSH project, much of which mirrors the participant comments reflected in this PSH Siting Study report. Once the definitions are finalized, LIHI may choose to create a voluntary certification process for PSH. If this occurs, Washington state agencies may want to investigate LIHI's PSH certification process, for potential incorporation into state guidelines, recommendations, regulations, and/or procedures.

Potential PSH projects that follow some of the recommendations above, and that demonstrate understanding of and compliance with the issues and needs expressed by Tribes, local communities, agencies, local governments, NGOs, and others, may find that their projects have fewer obstacles and can advance in a more efficient manner to help the state reach its goal of fossil-free electricity.

---

<sup>37</sup> Due to be published June 2025

<sup>38</sup> [https://www.energy.wsu.edu/documents/Least-Conflict\\_Solar\\_Siting\\_Report-WSUEP23-04--6-29.pdf](https://www.energy.wsu.edu/documents/Least-Conflict_Solar_Siting_Report-WSUEP23-04--6-29.pdf)

<sup>39</sup> <https://lowimpacthydro.org/>



## Appendix A

### Topics – Potential Impacts/Mitigations and Participant Issues/Suggestions

The following lists contain additional information to what is written in this report's Topic chapter. Separated by individual topics, it includes potential impacts and potential mitigations, as provided by subject matter experts and published literature, and comments from participants about issues and suggestions.

The Background section of the individual topics in the report may help to better understand some of the information and comments below.

### Tribal Cultural Resources and Tribal Rights

#### Potential impacts and potential mitigation

##### Potential impacts

- Disturbance or destruction of culturally important sites, including but not limited to:
  - Indigenous settlement sites
  - Human burial sites and/or sacred sites
  - Previously unknown sites in project areas or sites not mapped to maintain confidentiality
- Impacted views from adjacent culturally significant sites used by local tribes for traditional cultural practices

##### Potential mitigation

- Avoid culturally important sites because many sites are regarded as irreplaceable and therefore cannot be mitigated
- Track cumulative impacts of energy infrastructure on traditional cultural properties
- Hire a cultural resource monitor during ground-disturbing activities
- Conduct Tribal consultation and community engagement in advance of preliminary permit application filing to understand, early on, where culturally significant sites are to avoid them, but maintain confidentiality
- If sites are disturbed, erect signs describing what was disturbed within project boundaries
- Develop and implement historic properties management plan

## Participant issues and suggestions

### Participant issues

- Cultural resources including traditional foods, gathering areas, wildlife, water, and other natural resources, need to be protected
  - Impacts to cultural resources cannot be mitigated
  - Tribes generally support clean energy, but not at the expense of cultural resources
  - Cultural and ecological connection/relationship must not be interrupted
  - These sites carry individual and family identities
  - “Would you propose a development on Arlington National Cemetery?”; Tribes’ sacred landscapes are just as sacred
  - Tribes have been in the area for tens of thousands of years, while a PSH site can exist for 100 years; don’t desecrate the landscape for only 100 years of benefits
- Tribes are constantly asked to compromise
  - Tribal rights and resources keep getting chipped away
  - Constant pressure for Tribes to compromise is a social injustice – Tribes are always asked to make a deal
  - If “no” is not an acceptable answer from the Tribes than it is not consultation
- Tribes take on disproportionate burdens of adverse effects and inequitable consequences
  - Projects like PSH don’t benefit Tribes environmentally or economically
  - These projects are often sited in more rural areas that always contain unceded homelands, and/or ceded territory/U&A
- Tribal rights include concern about wildlife migration routes that could be blocked by new projects and fencing
- Cumulative impacts from many projects add up
  - Concern about impacts from all existing and proposed projects existing in the Colville shrubsteppe area and on state sensitive and federally listed species overall
  - Cumulative impacts on access to sacred areas and areas important to local communities
- Cultural resources are often ignored and/or not valued when clean energy facilities are being sited
  - Constant training of non-tribal staff on basics of Tribal sovereignty and cultural resources is exhausting and contributes to continuation of so many injustices
  - Tribes must always remind the state that they have trust responsibilities
  - Talking to Tribes is not just “checking the box”
  - The current siting laws work such that they reduce everything to a monetary value; Tribal resources don’t get considered and will be lost if a developer can save money by building right next to a transmission line
  - Some state agencies, such as the DAHP, have culturally sensitive confidential Tribal info, but that information is not used to keep possible projects from Tribal areas
  - There is no mandate to protect cultural resources – they are just given consideration in planning, which is a failure at the federal and state level
  - Concerning access, past experience has shown that industry has not honored or acknowledged that tribal rights can be exercised in or near these facilities or areas

- Tribes are often brought in too late to proactively identify cultural resources and suggest alternative locations/approaches for development
  - Traditional cultural resources such as traditional food gathering and viewsheds may be impacted because their locations are often not known to non-tribal stakeholders until a project is well on the way to development
  - Studies are often done for the purpose of expedited permitting, and that puts Tribes on a faster deadline to advocate for resources that are under-considered by the structure of the siting process
- Information about cultural resources is very sensitive to Tribes and can't be disclosed
  - Disclosure of spiritually sensitive information is of extreme concern and can violate Tribal ancestral laws and traditional teachings
  - Mapping exercises might ignore the importance of cultural resources and can mistakenly identify locations as appropriate for development
- Concern about impact on the local community from construction
  - There are many missing native women – “man camps” with workers from out of the region may contribute to their disappearance
  - General concern about safety impacts to local indigenous communities
- Tribes' concerns about clean energy siting are based on bad experiences with actual projects

#### **Participant suggestions:**

- Do not develop areas that will impact Tribal cultural resources or other Tribal interests
  - Avoidance all together should be the goal
  - Avoid cultural resources that interact with or relate to water
  - Do not take existing agricultural lands out of production or utilize areas where there are cultural resources
  - If important Tribal areas cannot be avoided, work with folks to decide if the project needs to be done or not
- Proactively analyze impacts on cultural resources that seem particularly likely for PSH
  - Steep slopes seem critical for PSH, so find out if steep slopes are critical cultural resource land
  - Ridges above rivers are important spiritually – assess these areas carefully for cultural resources
- Developers and agencies should engage early with Tribes about cultural resources
  - One of the first steps for PSH projects should be to get input from the Tribes whose cultural sites and/or regularly used foraging grounds would be eradicated
  - Make sure to interact with tribes early in the process, which will greatly benefit Tribes and require that federal agencies uphold their trust responsibilities; together, these steps will make the siting process more meaningful going forward
  - Conduct the required studies but also engage tribal partners and local agencies early and often in the siting process to understand potential impacts,
  - Create a good communications framework
- Require free, prior, and informed consent<sup>40</sup>
  - Respect and honor Tribal sovereignty along with free and informed prior consent

---

40 Obtaining consent from indigenous peoples for any activity taken on the land

- Look for ways to develop PSH while also limiting impacts to cultural resources
  - Tribes have a history of working with developers to develop energy sources; we can find areas to develop without having impacts on cultural resources
  - Green energy must be done in a responsible manner that respects Tribes' traditional foods, properties, and cultural resources
  - Give Tribes the opportunity to have keyed access, to fenced areas surrounding cultural resources
- Monitor sites over time for impacts on cultural resources and continue to engage Tribes
  - Implement sustained consultation and observational data collection
- Consider reparations based on the history of issues concerning habitat, treaty rights, displacement from development, and other histories of harm to Tribes
- Incorporate lessons learned from Goldendale

## Aquatic Ecology

### Potential impacts and potential mitigation

#### Potential impacts

- Aquatic habitat loss and barriers to fish migration due to dams
- Fluctuations in the river connected to the upper reservoir
- Inhibiting natural river processes
- Changes in fish species composition due to habitat alteration

#### Potential mitigation

- Implement additional studies and monitoring along with a control plan
- Plant natives along diversion channel
- Replace wetlands by creating them in same ratio elsewhere
- Establish two ponds and stock to provide warm water fish habitat

### Participant issues and suggestions

#### Participant issues

- Impacts on aquatic and riparian species
- Fish entrainment – the loss of fish from open-loop reservoir construction
  - Need to determine impacts of fish screens in open-loop systems
- Drawdown in reservoir with hydrologic connectivity can affect fish and other aquatic biota
- “Having worked previously in the permitting of salmon habitat restoration, I find it incredible that any of these potential projects would ever actually happen because of the major impact it would have on any of our regional watersheds.”
- Invasive species in ponds

#### Participant suggestions

- Create avoidance or mitigation requirements for impacts and loss of riparian habitat and/or aquatic habitat conditions and functions

## Water Quality

### Potential impacts and potential mitigation

#### Potential impacts

- Evaporative losses, which can lead to increased concentrations of dissolved solids such as metals and other contaminants used during construction and operation
- Temperature changes
- Biofouling (accumulation of microorganisms, algae, and plants)
- Seepage or leakage from the reservoir to groundwater
  - Contaminants concentrated from evaporation seeping into groundwater

#### Potential mitigation

- Develop a water quality standard and do continuous monitoring
  - Monitor against unintended consequences for other surface water users, since many waters are hydrologically connected
  - Create evaporation ponds or water treatment facilities
  - Provide water treatment to control algal growth as needed
  - Operate in areas that do not impact any legacy groundwater contamination
  - Monitor against unintended consequences for other groundwater users, since many waters are hydrologically connected
  - Install impermeable liners in reservoirs, power tunnels and all water conveyance structures

### Participant issues and suggestions

#### Participant issues

- General water quality concerns
- Water quality issues related to algal blooms
- Water temperature fluctuations and warmer water released down into cooler river water
- Water released back into the river could attract smolts; smolts could be impacted by water temperature as they migrate out or circulate in the system before they migrate out

#### Participant suggestions

- Consider installing screening; as Tribes move toward full reintroduction of anadromous fish, it's important that there is not additional mortality because of PSH

## Water Quantity and Water Availability

### Potential impacts and potential mitigation

#### Potential impacts

- Groundwater loss from withdrawals from aquifers and surface water loss for initial filling and for makeup water
  - Can impact connected wetlands, water supplies for wells, minimum water supplies and agriculture/irrigation impacts
- Precipitation runoff collected in reservoirs and not natural watersheds, causing overflow and impacting dam safety and wetland drainage patterns



- Water movement between reservoirs when such movement affects naturally flowing lakes and rivers
- Connection between groundwater and surface waters

### Potential mitigation

- Prescribed timing, quantity, and frequency of initial reservoir fill and refill
- Restrictions on water withdrawals during wildlife critical life events
- Require minimum flow requirements or maximum limits for pumping from nearby water to fill
  - Time withdrawals during higher flows
- Water right buyout or compensation for use of water rights, with restrictions on rate and timing
- Construct diversion channels, flood control structures and measures
- Schedule irrigation interconnection during non-irrigation season, so endangered fish species aren't accidentally harmed

### Participant issues and suggestions

#### Participant issues:

- Using groundwater to fill reservoirs can have impacts on groundwater and groundwater dependent ecosystems, including downstream effect on native wetlands
  - Can reduce groundwater recharge of wetlands down slope that are important breeding areas for amphibian species
  - It may not be easy to discern that the groundwater withdrawals for the PSH project are affecting wetlands because of spatial separation
- Water will be a long-term issue due to the length of PSH operations
- Water loss/evaporation
  - Water source locations and need for water to replenish PSH over time
  - Groundwater reduction
- Water availability
  - Regulators need to consider what effect designating water for these projects may have on future water availability for residential and agricultural production that is necessary for an increased population
  - “Who will do without water to satisfy the PSH need for this limited resource, which is under increasing pressure from development and a changing climate?”
- Impacts on future water availability by phenomena such as climate change
- Consider that suitable locations for PSH may have less water availability over time, and how that relates to water quality and ecosystems
- Water rights could be an issue
  - If initial water is diverted from the Columbia River, a water right is needed. If it's a closed system, need to purchase water right – will that water be taken from agricultural irrigation or upstream or somewhere else? In Central and eastern WA, basins are closed to new water rights. Given changing climates in eastern, central WA, this could be an issue.
- The water levels of some waterbodies need to meet certain requirements and regulations; this may be the case with the proposed Lake and Lake Roosevelt PSH

### Participant suggestions

- Reflect possible groundwater withdrawals effects in environmental documentation for permitting
- Investigate ways to minimize consumptive use of water (evaporation)
- Use cover systems such as floating balls, flexible covers to minimize water loss
  - The floating balls are often more effective in reservoirs that do not see a lot of fluctuations

## Wildlife & Habitat / Terrestrial

### Potential impacts and potential mitigation

#### Potential impacts

- Land disturbed, inundated, or removed due to construction of PSH and transmission lines can cause:
  - Loss of habitat, habitat fragmentation, and loss of connectivity, including land needed for life cycle events such as foraging, hunting, nesting, breeding, and overwintering
  - Disease from living closer together due to decreased habitat
  - Loss of genetic diversity from population decrease
- Disturbance and disruption from construction and operations, such as from noise and vehicle emissions can cause:
  - Abandoned nests, avoidance of habitat, mortality
  - Disruption of species' critical life history periods
- Construction vehicles & traffic causing direct mortality and habitat loss
- Establishment of invasive species
- Fire risk from slash cut to prepare for construction
- Entrapment within pipes, fencing, netting, holes, etc.
- Transmission lines
  - Transmission structures provide perches for predatory birds
  - Transmission lines can be electrical hazards
  - Reservoirs attract wildlife which can be a drowning hazard (attractive nuisance)
  - Brine ponds used in water quality maintenance can be a health hazard to birds attracted to it
  - Water level fluctuations could increase potential for invasive species
    - Impacts to amphibians
  - Elimination of wetlands/riparian habitat

#### Potential mitigation

- Develop protection plans and establish ongoing monitoring
- Restore and enhance habitat
- Fence reservoirs to prevent risk of drowning
- Decommission unnecessary roads after construction
- Create wildlife crossings under penstocks
- Remove slash piles that were cut for construction to prevent the risk of fires
- Time disruptive construction activities to avoid critical life history periods
- Manage noxious weeds, reseed with native mixes, manage vegetation during operations
- Seal up anything that can be a hazard for small and large animals
- Map areas that are important to protect habitat in order to prevent cumulative fragmentation effects

## Participant issues and suggestions

### Participant issues

- Effects on habitat and wildlife
  - Habitat disturbance and loss
    - Impact on species dependent on shrubsteppe during life cycle events. This includes sharp tail grouse, sage grouse, and other federal and state-listed species. An example of an interspecies relationship that could be impacted is that of badgers (whose numbers are already declining) that dig holes that burrowing owls subsequently utilize for nesting burrows.
  - Fluctuating water levels might impact amphibians and nesting birds on shorelines
  - Reservoirs are attractive to certain nuisance species
  - Amphibians are the terrestrial species most adversely impacted
- Wildlife displacement and disruption to migration routes
  - Wildlife displacement from former habitat on which PSH facilities are sited
  - Disruption and fracturing of wildlife migration routes, movement corridors and habitat connectivity routes due to placement of facilities and safety controls such as fences
- Invasive and non-native species
  - Creating a domino effect through the spread of unwanted seeds, pollen, etc., during facility construction
  - Non-native vegetation brought in on tires and other equipment

### Participant suggestions:

- Establish baseline habitat conditions and monitoring plans
- Avoid construction in high quality native habitat
- Avoid areas that are habitat for species of greatest conservation, such as state and federal listed species
- Avoid locating PSH adjacent to wind energy projects
  - Creating open reservoirs near existing wind energy projects increases beneficial habitat for some terrestrial and avian species and can increase the population of small mammals, bats, and migratory birds, all of which attract birds of prey (raptors); this can increase collision of migratory species and birds of prey (raptors) with wind turbine blades
- Include habitat connectivity in project design
- Bring in and establish vegetation that is native to the surrounding areas to help mitigate the noise, block out some light, and absorb some of the vibration, while helping to establish nutrients
- Create and maintain new habitat such as mud flats for migratory birds

## Geology and Soils

### Potential impacts and potential mitigation

#### Potential impacts

- Subsidence (sinking of an area)
- Increased seismic risks
- Increased erosion
- Seepage or leakage

#### Potential mitigation

- Site specific engineering studies
- Design for maximum critical credible earthquake in the area
- Stabilize soils, time construction, create erosion plan
- Install impermeable liners in reservoirs, power tunnels and all water conveyance structures

### Participant issues and suggestions

#### Participant issues:

- Concern about ground disturbance
- Concern about induced seismicity
- Concern about structural failure
  - Eastern Washington has had many fires that burned off vegetation and roots, and significantly more rain events than normal, both of which increase the risk of slope failures and landslides during earthquakes
  - Structural failures causing water quality problems by releasing water into the river and impacting salmon
  - Though engineers and developers plan to prevent failure, unforeseen failure events do happen

## Land use – Air Quality, Aesthetics, Access, Lighting, Noise

### Potential impacts and potential mitigation

#### Potential impacts

- Air emissions
  - Dust and vehicle impacts on wildlife and local community
  - Methane gas emissions from reservoirs that were not cleared of vegetation before being filled
- Noise from construction activities and operation of pumping generation cycle
  - Impact on wildlife
- Visual access to the viewshed
  - The look of reservoirs, buildings, and roads not matching the character of an area
- Lighting
  - Light pollution disturbing nocturnal species
  - Light pollution and noise disturbing campers

- Lack of irrigation payments to irrigation districts if irrigated land taken out of production
- Recreation and other land uses disturbed and/or unavailable because of project construction, project facilities, and land required for transmission line that crosses large amount of land

### Potential mitigation

- Conduct additional studies and monitor impacts
- Create a “no idling” policy and site-specific measures to limit noise and dust
- Clear vegetation before constructing reservoir to prevent methane production
- Restrict timing of loud activities so as not to interfere with sensitive wildlife life cycle
  - Use noise mufflers and intake silencers
- Create buffers and fencing, and use vegetation for fence rows
- Use lighting products that minimize visibility from long distances
  - Use directional lighting and light hoods, and use lighting only when needed
- Use attractive or natural design
  - Do a “Photoshop trial” – Modify a photograph of the pre-construction reservoir site to visualize what it would look like with the reservoir
- Create new or improved recreational opportunities
  - Fund off-site recreation
  - Add new signage to new or existing trails
  - Purchase land for new recreation
- Keep livestock watering and salt licks away from project and transmission corridor
- Provide payments to irrigation districts to compensate for loss of income from land taken out of irrigated production
  - Time construction to avoid conflict with irrigation needs
- Use brownfield sites, preserve greenfield sites
- Create marketplace for utilizing lands already compromised
  - Get funding from government for adaptive reuse
  - Communicate interest to generate taxes from those properties again
  - Create economic viability

### Participant issues and suggestions

#### Participant issues

- Air quality, lights, noise, and ground vibrations changing the migration of birds, bees, and other wildlife
- Concern about the disturbances of noise and light generated by ongoing maintenance
- Concerned about higher GHG emissions associated with the PSH reservoir, and emission sources
- Onsite recreational opportunities may be possible for open-loop systems; safety concerns prohibit recreational opportunities for closed-loop PSH

## Socioeconomics

### Potential impacts and potential mitigation

#### Potential impacts

- Increased traffic on local roads, leading to school traffic disruption
- Increase in construction vehicles
- Safety issues
- Release of contaminants
- Potential housing shortages
- Influx of workers from elsewhere that stresses local resources of small community
- Safety of indigenous women given influx of out-of-town workers

#### Potential mitigation

- Monitor traffic conditions; implement shuttle bus use, carpooling, staggered work shifts, traffic management plan
- Time deliveries
- Construct more housing and essential businesses and services
- Engage with local community to determine appropriate mitigation strategies

### Participant issues and suggestions

#### Participant issues

- Concern about impacts these facilities have on local property taxes
- Questions about whether such projects provide economic, social, etc. benefits to local communities

## General Observations

- Participant: “My assumption is that the WSU study is neutral with regard to what the project is used for. The fact is that a key driver of interest in new storage is a way of managing wind and solar on the grid, but pumped storage certainly is a ‘Swiss army knife’ that can be used with any kind of pumping energy and grid support system.”
- Energy demands fluctuate during the day
- No matter what the energy source, storage lowers the overall cost of energy for ALL customers
- Reduced cost is the value provided by any form of storage, including pumped storage
- The Colville Tribes has two of the biggest dams on their reservation, so they know the impacts of green energy
- The Tribe wants to make sure that any PSH projects are done well and intelligently, and not making the same mistakes that were done with hydropower dams, which everyone thought was the greatest thing at the time
- The Banks Lake and Roosevelt PSH project in Grant County, if done correctly, could be good for consistent additional power
- Utilities are looking for solutions to meet the green energy goals for the state
- Other options don’t provide the long-duration storage that PSH can achieve
- Curious about what trade-offs are acceptable between what we want to protect vs achieving clean energy goals





## Appendix B

### State and Federal Permitting and Licensing Processes

This appendix provides a more detailed look at some of the federal and state processes for permitting and licensing, including environmental reviews, for PSH in Washington state. Participant issues and suggestions for these processes follow the background information.

#### Background

##### Federal Permitting and Licensing

The permitting and licensing processes for PSH can be complicated with different paths and a multitude of agencies involved. If a PSH project is owned and/or developed by a non-federal entity, it is considered a non-federal project, although the Federal Energy Regulatory Commission (FERC) is the agency that issues most of the required permits and licenses. Projects developed and owned by federal agencies such as the Bureau of Reclamation or Tennessee Valley Authority have different licensing processes, which are not discussed in this report.

It is important to note that PSH development companies often apply for and obtain a preliminary permit without first contacting local Tribes or others who might be affected by the project. They do this to prevent the word getting out to competitors about a potential site. Consequently, a lot of preliminary assessment work is done by the developer before contacting the Tribe and determining if there are sites to be avoided. Obtaining a preliminary permit is not actually mandatory, but it does protect first right.

A simplistic outline of the permitting and licensing process by FERC is below.

##### FERC process

- Preliminary permits
  - Gives the permit holder priority for a site over other applicants
    - Permit holders can then conduct feasibility and environmental studies, and pre-filing stakeholder consultations without competition for the site
  - Are not technically necessary but are preferred because they protect first-in-line status for a particular site
- Licenses
  - Pre-filing – Notice of intent and pre-application document process starts
    - Steps and timeline vary between 3 processes – ILP, ALP, CLP – see below
  - Post-filing phase – Begins after submission of final license application
    - Permits/certifications of regulatory compliance that need approval at this time include the National Environmental Policy Act (NEPA), Clean Water Act section 401 water quality certification, Endangered Species Act, state and federal agency submissions

- The issuance of final FERC license order may include mandatory terms and conditions
- Three types of FERC licensing processes a developer can choose from are:
  - Integrated Licensing Process (ILP) – default
    - The most structured and most suitable for sites with complex issues
    - FERC involved from outset
    - Ex Parte communications – prohibits interactions between one party and the decision-making authority without the presence of all other parties involved
      - Developer comment: ILP has a more scheduled process with consultation occurring earlier, resulting in fewer delays late in the process
  - Traditional Licensing Process (TLP) – most commonly used
    - Most flexible and most suitable for sites with no complex issues
    - FERC involved after final license application
      - Developer comment: TLP can result in complications that arise late in the process and result in licensing delays
  - Alternative Licensing Process (ALP) – least commonly used
    - Most cooperative – Stakeholders/developer agreement upfront

There are two other processes for certain closed-loop non-federal PSH projects:

- Reduced licensing process for closed-loop PSH
  - FERC has a two-year post-filing licensing process for qualifying closed-loop PSH, which usually shortens the process by about one year
- Outside FERC jurisdiction, that is, under only state and local jurisdiction if a closed-loop project:
  - Is not on federal public land or a federal reservation; however, if a transmission line from the PSH crosses federal land, the project must go under FERC
  - Does not use surplus water or waterpower from a government dam
  - Is not located on a non-navigable commerce clause stream, interstate or foreign commerce, and has undergone construction or modification since 8/26/1935
  - Only uses groundwater to fill the system

### **Washington State Environmental Policy Act (SEPA)**

The purpose of SEPA, the State Environmental Policy Act is to inform decision-making by identifying and disclosing environmental impacts before a public agency makes a decision. SEPA covers the assessment of impacts (both negative and positive) on both the natural environment (e.g., air, water, plants, animals) and the built environment (e.g., land use, transportation, public services).

The SEPA process is intended to inform decisions made by public agencies, but it is not a permit decision. The lead agency seeking SEPA assessment can be Ecology, the Energy Facility Site Evaluation Council (EFSEC), or a local government.

To enable early and meaningful engagement with stakeholders, Tribes, and interested parties, lead agencies should conduct a robust public involvement process. Early and meaningful

engagement includes consideration of all phases of a project, including construction, operation, and decommissioning.

- Key features of SEPA include:
  - Identifying and evaluating probable impacts (both negative and positive) for elements of the environment
  - Applying a condition or denying government actions
  - Supplementing existing authority of all branches of state government
- No project actions can be taken until after SEPA completion
- Considerations when evaluating the proposal include
  - Existing conditions
  - Direct and indirect impacts
  - Short- and long-term impacts
  - Sensitive areas and species
  - SEPA rules define both probable and significant impacts
- Tribal engagement best practices
  - SEPA requires notification of Tribes
  - Tribal governments are sovereign nations with their own priorities and government-to-government relationship with the state and federal government.
  - Usual and accustomed lands extend well beyond tribal reservation boundaries
  - State has a 1-day government-to-government training available at the Washington Department of Enterprise Services (DES) to aid understanding of unique role of tribes in WA and agency responsibilities
- National Environmental Policy Act (NEPA)
  - Federal projects, permits, or funding may trigger NEPA review
  - Both SEPA and NEPA could be required on same proposal
  - SEPA has flexibility to allow adoption of NEPA documents if they are adequate though NEPA does not have reciprocal flexibility; Federal and state agencies can work together to align timing

### **Section 106 of the National Historic Preservation Act**

The National Historic Preservation Act (NHPA) mandates certain roles and responsibilities for a federal historic preservation program, authorizing certain tools, resources, and processes, including the Advisory Council on Historic Preservation (ACHP) and the Section 106 review process.

Section 106 requires federal agencies to take into account the effects of their undertakings on historic properties, which include historic, archaeological, and significant cultural places. Physical alteration of the built or natural landscape is the main focus. The definition of an undertaking is:

*A project, activity, or program funded in whole or in part under direct or indirect jurisdiction of a federal agency; those carried out with federal money; those requiring a federal permit, license, or approval; those subject to state or local regulation administered pursuant to delegation or approval by a federal agency*

Complying with Section 106 is the responsibility of the federal agency and is a consultative process that involves multiple parties; the federal agency must reach out to states, Tribal government, and other affected parties. FERC licensing is an example of a project that uses federal money

- Parties of a Section 106 process may include:
  - Lead federal agency or agencies
  - Advisory council on historic preservation (ACHP)
  - Consulting parties which may include:
    - Tribal historic preservation officer (THPO)
      - Tribal governments can assume duties of state historic preservation offices within the boundaries of their reservation and on off-reservation trust lands
    - Tribal cultural staff, the State Historic Preservation office (SHPO) (which in Washington is within the Department of Archaeology and Historical Preservation)
  - Applicants for funding or license
  - Members of the general public
  - Consultants, etc.

The process includes four overarching steps: initiation, identification, assessment of effect (or adverse effect), and resolution of adverse effect (and failure to resolve). Below is an outline of the process.

- 1: Initiate the process by Identifying the area of potential effect (APE) and the involved parties
- 2: Identify the sites
  - Acquire background, historic, and cultural archaeological information
  - Conduct on-the-ground survey and consult with parties on findings
  - Develop methodology and consultation with SHPO and THPO to do actual on-the-ground inspections
- 3: Assess the effects and determine one of the following
  - No historic properties affected
  - No adverse effect
    - There will be a change, but one that is not damaging to qualities
  - Adverse effect
    - Impact will alter, damage, destroy, or change characteristics that make property significant and eligible for listing in the national register (NR)
    - Create a Memorandum of Agreement (MOA) for formalized actions the federal lead will take to minimize, avoid, or mitigate adverse effect
      - Must notify ACHP, invite participants, consult with THPO and SHPO
- 4: Final step
  - Implement MOA
  - Report back to assure MOA requirements were met
  - If agreement not reached, notify ACHP for formal comment
  - ◆ If conditions change, notify parties of need for amendment

## Participant issues and suggestions

### Participant issues

- General
  - Getting through the permitting process takes too long
  - The number of regulations that new projects must comply with
- Federal permitting and licensing
  - Developers and others need to understand the differences between engagement and government-to-government consultation; early engagement does not satisfy the required government-to-government consultation
  - Inadequate amounts of time that organizations or Tribal governments have to engage with developers about issues is a barrier that needs to be overcome
    - Project developers seem to under-estimate the amount of tribal engagement that is necessary to work through the process
  - Tribal engagement in project development processes often happens too late, putting Tribes in a reactive and adversarial stance
    - Delayed engagement can drive the perception that Tribes and others bring up issues “late” in the process, when they may only just be hearing about the projects at that time
  - It is important to develop relationships with the Tribes, not just consider Tribal engagement to be a process requirement
  - Just following the “letter” of the FERC process is insufficient
- SEPA and NEPA
  - The requirements for an adequate SEPA and NEPA process are ad hoc and subject to excessive litigation (the legal system allows excessive “what about....” lawsuits)
- Section 106
  - It is important to understand that Section 106 is a process and not a protection.
  - The lead federal agency can decide to go ahead with a project as long as they follow the process to the letter
  - NHPA needs to inform NEPA; but sometimes NEPA comes out before the NHPA
  - For state projects, the failure to properly coordinate NEPA and NHPA has even more pronounced consequences
    - With SEPA checklist, if cultural resource studies have not yet been conducted, often they go ahead with the threshold determination without knowing the cultural resource impacts
- A proposed PSH near the Colville reservation, the Pearl Hill Pump Storage project, failed because the proponents failed to consider alternative locations after very sensitive cultural resources had been identified
  - FERC unilaterally crafted programmatic agreement without input
  - Because of Colville objection and DAHP support of the Colville position, FERC terminated the project because it was determined that consultation would not be productive
  - At that point, FERC could have licensed Pearl Hill because they followed the 106 process, but they did not

## Participant suggestions

- Include all Tribes that may be affected and recognize that Tribes are different
  - Developers should emphasize active collaboration with Tribes and communities
  - Having facilitation support can help
  - The Governor's Office for Regulatory Innovation and Assistance (ORIA) provides a service to help developers perform an early analysis of environmental characteristics and constraints, which can include an analysis of archeological issues
  - ORIA can also help developers connect with Tribal or stakeholder contacts relevant to their projects
- In the interest of expediting permitting for pumped storage hydropower, it is suggested that the SEPA consider sufficiency of environmental review
- Consider alternative actions (SEPA requires identifying alternative actions) that would reduce disruption to the natural and cultural environment
- Local planning
  - Counties will be updating comprehensive plans in 2025 as part of Growth Management Act (GMA) requirements
    - Counties need to be aware of the potential for these types of projects so they can understand how to accommodate them within new planning documents
  - It is important to be aware of and engaged in local planning efforts at the county level or other local government levels around land preservation or other kinds of planning where pump storage hydropower might be sited, whether the impact would be positive or negative
  - Work within or consider local efforts to preserve critical lands and other planning requirements
- Expand upon how historic properties are discussed and include language like cultural landscapes, riverscapes, soundscapes, viewsheds
  - Tribes must take a larger landscape approach to the identification of historic properties within the Section 106 process



## Appendix C

### GIS Data Source Documents for Washington State Maps (Figures 5 through 8)

Dataset	Description	Publisher / Owner	Source / Link
Potential PSH Sites	Potential pump storage reservoir locations within Washington from NREL study of potential PSH sites within the U.S.	National Renewables Energy Laboratory (NREL)	<a href="https://maps.nrel.gov/psh">https://maps.nrel.gov/psh</a>
Washington State Boundary	Detailed boundary for the State of Washington	ESRI, ArcGIS Pro Living Atlas	ArcGIS Pro License
County Boundaries	Detailed boundaries of all counties within Washington State	Washington Geospatial Open Data Portal, Department of Natural Resources	<a href="https://geo.wa.gov/datasets/12712f465fc44fb58328c6e0255ca27e_11/explore">https://geo.wa.gov/datasets/12712f465fc44fb58328c6e0255ca27e_11/explore</a>
Roads	Transportation routes within Washington State	Washington Geospatial Open Data Portal, Department of Transportation	<a href="https://geo.wa.gov/datasets/8e92b0368a6747f0845d9990c109519b_6/explore">https://geo.wa.gov/datasets/8e92b0368a6747f0845d9990c109519b_6/explore</a>
Tribal Reservations	Detailed boundaries of Tribal Reservations within Washington State	Washington Geospatial Open Data Portal, Department of Ecology	<a href="https://geo.wa.gov/datasets/waecy::tribal-lands/about">https://geo.wa.gov/datasets/waecy::tribal-lands/about</a>
Electrical Transmission Lines	Transmission lines within the U.S.	Homeland Infrastructure Foundation-Level Data	<a href="https://hifld-geoplatform.hub.arcgis.com/">https://hifld-geoplatform.hub.arcgis.com/</a>
Electrical Substations	Substations within the U.S.	Homeland Infrastructure Foundation-Level Data	<a href="https://hifld-geoplatform.hub.arcgis.com/">https://hifld-geoplatform.hub.arcgis.com/</a>
Federal Land	Federally administered land within the U.S.		
Bureau of Land Management, Bureau of Reclamation, Department of Defense, Fish and Wildlife Service, Forest Service, National Parks	ESRI, ArcGIS Pro Living Atlas	ArcGIS Pro License	

Dataset	Description	Publisher / Owner	Source / Link
State DNR Land	Detailed boundary for all land administered by the DNR	Washington Geospatial Open Data Portal, Department of Natural Resources	<a href="https://geo.wa.gov/datasets/f0419317aee24072846efb73e75b0755_6/explore?location=47.189559%2C-120.735050%2C7.44">https://geo.wa.gov/datasets/f0419317aee24072846efb73e75b0755_6/explore?location=47.189559%2C-120.735050%2C7.44</a>
State Parks	Detailed boundary of all Parks administered by the State of Washington	Washington Geospatial Open Data Portal, Washington State Parks and Recreation Commission	<a href="https://geo.wa.gov/datasets/wa-state-parks::parks-land-classification-1/about">https://geo.wa.gov/datasets/wa-state-parks::parks-land-classification-1/about</a>
Wilderness Areas	Designated Wilderness Area boundaries within the U.S.	ESRI, ArcGIS Pro Living Atlas	
Original Source: Wilderness Institute, University of Montana	ArcGIS Pro License		
Columbia River Gorge National Scenic Area	Federal administrative boundary of the National Scenic Area	US Forest Service Geospatial Data Clearinghouse	<a href="https://data.fs.usda.gov/geodata/edw/datasets.php">https://data.fs.usda.gov/geodata/edw/datasets.php</a>
Wind Turbines	Individual wind turbine locations within the U.S.	US Geological Survey	<a href="https://eerscmap.usgs.gov/uswtodb/data/">https://eerscmap.usgs.gov/uswtodb/data/</a>
Solar Photovoltaic Sites	Areas encompassing solar sites within the U.S.	US Geological Survey	<a href="https://eerscmap.usgs.gov/uspvdb/data/">https://eerscmap.usgs.gov/uspvdb/data/</a>
Rivers	Rivers within the U.S.	National Hydrography Dataset	<a href="https://www.usgs.gov/national-hydrography/national-hydrography-dataset">https://www.usgs.gov/national-hydrography/national-hydrography-dataset</a>
Mount St. Helens National Monument	Detailed boundary of the Mount St. Helens National Monument	US Geological Survey, Protected Areas Database	<a href="https://www.usgs.gov/programs/gap-analysis-project/science/pad-us-data-overview">https://www.usgs.gov/programs/gap-analysis-project/science/pad-us-data-overview</a>
Hanford Reach National Monument	Detailed boundary of the Hanford Reach National Monument	US Geological Survey, Protected Areas Database	<a href="https://www.usgs.gov/programs/gap-analysis-project/science/pad-us-data-overview">https://www.usgs.gov/programs/gap-analysis-project/science/pad-us-data-overview</a>





WASHINGTON STATE UNIVERSITY  
**Energy Program**